Fo	od Estab	olishment Insp	ection Report			Page	e 1	of	4				Cle	ar I	-or
	Skagit Coun 700 South 2 Phone: (36	ity Public Health 2 nd Street, #301, Mo 0) 416-1500 e-n	ount Vernon WA 98; nail: <u>EH@co.skagit.w</u> line: <u>www.foodwor</u>	/a.us					111		EMAIL		(1)	Washington S. He	iale Dep ur tos alt
	ME OF ESTABLI	ISHMENT Bakery MV		0.000.00000	essor N La		TION Iture S	St				CITY Mount Vernon			
	ALS SERVED] Routine			□Pre					ESTABLISHMENT TYPE R	SK CATEG	ORY	
	ALS OBS.	B L D	INSPECTION	Illness Ir Other:	nvestig	ation	□Те	mpc	orary	☐ Compla	aint	Packaged Food			
DA 9/6	re 6/2018	TIME IN 9:25	ELAPSED TIME 35	TOTAL POI	NTS	RE 0	D POINT	S		REPEAT RED		PHONE			
U, C						R	ED HIC			FACTORS	15				
		IN = In Compliance	sk Factors are improper OUT = Not In Compli				es ident oserved		V/A =	Not Applicable	CDI =	ing factors of foodborne illness or injury. Corrected During Inspection R = Repeat Vi	olation		
	Compliance S nonstration	tatus of Knowledge			CDI	R	PTS			Compliance State ntially Hazarde	-7-77	od Time and Temperature	CDI	R	PTS
1	IN		by accredited prograr with Code, or correct a				NA		16	N/A	Pro	per cooling procedures			NA
2	IN	Food Worker	Cards current for all to food workers trained	food			NA		47	N/A	Pro	per hot holding temperatures			NA
Em	ployee Heal	th							17	N/A	(5 p	ots if 130°F to 134°F)		Ш	NA
3	IN	employee pr	rker and conditional actices; no ill workers				NA		18	N/A		per cooking time and temperature; per use of noncontinuous cooking			NA
Pre	ventina Cor	present; prop ntamination by Har	per reporting of illness ids	5				9	40			room temperature storage; proper use of	+=		
4	N/O		ed as required		П	П	NA		19 20	IN N/A	time	e as a control per reheating procedures for hot holding	+∺-	片	NA NA
5	IN		ers used to prevent ba	are hand	一	$\overline{}$	NA		21	IN	Pro	per cold holding temperatures	╁	H	NA
6	IN	The second second second	ready-to-eat foods ndwashing facilities		$\overline{\Box}$	H	NA		22	IN		ots if 42°F to 45°F) curate thermometer provided and used to	一	\exists	NA
		ce, Wholesome, N		,			INA			sumer Advisor		aluate temperature of PHFs	- 45		1.07
7	IN IN		ed from approved sou		日	\blacksquare	NA		23	N/A		per Consumer Advisory posted for raw or dercooked foods			NA
9	IN		 ice from approved s ing of fruits and veget 		\exists	H	NA NA		High	ly Susceptible					
10	IN		l condition, safe and d; approved additives				NA		24	IN		steurized foods used as required; prohibited ds not offered			NA
11	IN		sition of returned, pre ife, or contaminated for				NA		Chei	nical					
12	N/A		stock ID; wild mushroo		$\overline{\Box}$	П	NA		25	IN	Toxic substances properly identified, stored, used				NA
		parasite des Cross Contamina	truction procedures fo	r fish			,,,,		Con	formance with		ved Procedures			
13	IN		t surfaces and utensils thoroughly cleaned a		П		NA		26	IN		mpliance with risk control plan, variance, n of operation; valid permit; approved	ПП		NA
		sanitized; no	cross contamination pelow or away from re		_						pro	cedures for noncontinuous cooking			
14	N/A		ecies separated	auy-to-			NA		27	N/A	Variance obtained for specialized processing methods (e.g., ROP)				NA
15	N/A	Proper hand	ing of pooled eggs				NA						Red Po	oints	0
		L	ow Risk Factors are pr	eventive r	neasur					FACTORS of pathogens, cl	hemicals	, and physical objects into foods.			
Foo	od Temperat	ure Control			IN/OUT	R	PTS		Uten	sils and Equip		rfaces properly used and constructed:	IN/OUT	R	PTS
28	Food receiv	ved at proper tempe	rature				NA		40	cleanable				Ш	NA
29	Adequate e	equipment for tempe	erature control				NA		41	Warewashing facilities properly installed, maintained, used; test strips available and used					NA
30	Proper that d Identification	wing methods used					NA		42				-	H	NA NA
31	Food prope				OUT		5			sical Facilities	act surra	aces maintained and clean			INA
		n Contamination							44			ed, installed, and maintained; proper			NA
32			resent; entrance cont revented during delive			片	NA					irect drains; no cross-connections			
33	preparation	n, storage, display				片	NA		45	18 1		properly disposed		片	NA
34		ns properly used, st	ored; proper sanitizer iene			H	NA NA		46			ly constructed, supplied, cleaned erly disposed; facilities maintained		H	NA NA
36		ng, tasting, drinking					NA		48	Physical facili	ties prop	perly installed, maintained, cleaned; excluded from establishment			NA
Pro	per Use of l	Jtensils							49			lighting; designated areas used			NA
37	In-use uten	sils properly stored					NA		50	Posting of per	mit; mol	bile establishment name easily visible			NA
38	Utensils, ed	quipment, linens pro	perly stored, used, ha	andle			NA						Blue P	oints	5
39	Single-use	and single-service	articles properly store	d, used			NA				Use t	he following blank lines to write comments.			
	Provide in	nspection repor	t to PIC via:	7 _{E-ma}	ail		V	Pa	ner (copv					

Person In Charge Juana Cruz (Print Name)

Regulatory Authority Steven Zimmerman

Date 9/16/2018

Follow-up Needed?

Yes 🗸 No

Person In Charge (Signature)

Regulatory Authority (Signature)

Internal Cooking Temperatures				
135°F	Plant foods for hot holding			
	Unpasteurized eggs			
	Fish, except as listed below			
145°F for 15 seconds	Meat, except as listed below			
	Pork, except as listed below			
	Commercially raised game animals, rabbits			
155°F for 15 seconds	Ground or comminuted meats or fish			
	Injected or mechanically tenderized meats			
199 L 101 19 26001102	Ratites (ostrich, rhea, emu)			
	Pooled eggs when allowed			
	Poultry			
165°F for 15 seconds	Stuffed foods including: fish, meat, pasta, poultry			
	Stuffing containing fish, meat, or poultry			
	Wild game animals			
WAC 246-215-03400(2)	Whole meat roasts; ham			
Holding Temperatures	41°F or less; 135°F or greater			

Co	ol	İI	1g

Cool foods in shallow pans with a food depth of 2 inches or less, uncovered, refrigerated at 41°F, and protected from contamination.

OR

Cool foods from 135°F to 70°F within 2 hours and

Cool foods to 41°F within a total of 6 hours or less.

- Use the following cooling options:Rapid cooling equipment
 - Ice bath
 - Other methods that meet the time temperature criteria

	Abbreviations
BHC	Bare Hand Contact
FWC	Food Worker Card
PHF	Potentially Hazardous Food
PIC	Person in Charge
ROP	Reduced Oxygen Packaging

Handwashing and Preventing Bare Hand Contact

Handwashing must take at least 20 seconds, and include a 10-15 second scrub, a thorough rinse, and a complete drying of the hands.

Bare hand contact with ready-to-eat foods is prohibited. Single-use gloves, tongs, utensils, or other approved methods must be used when handling ready-to-eat foods.

References
Chapter 246-215 Washington Administrative Code (WAC)
Chapter 246-217 Washington Administrative Code (WAC)
Chapter 69.06 Revised Code of Washington (RCW)
2009 FDA Food Code
www.foodworkercard.wa.gov (Website for Food Worker Cards)

Food Safety Training Requirement

All food workers must have a valid Washington FWC and copies must be available upon request.

New employees without valid FWCs must be given food safety training before beginning food handling duties. The training must be documented and kept onsite. Food workers must have a FWC within 14 calendar days of hire

Initial FWCs are valid for 2 years and renewal cards are valid for 3 years. The FWC must be renewed within 60 days before the card expires.

Restrictions/Exclusion of III Food Workers

Healthy food workers are important factors in foodborne illness prevention. Food workers must inform the PIC if they have:

- Symptoms including diarrhea, vomiting, or jaundice.
- A diagnosed illness from Salmonella Typhi, Shigella, Shiga toxin-producing E. coli, or hepatitis A.
- A diagnosed illness from Norovirus or any Salmonella, if serving a highly susceptible population.
- Infected, uncovered wounds.
- Discharges from the eyes, nose, or mouth (persistent sneezing, coughing, or runny nose).
- Sore throat with fever.

The PIC must restrict or exclude food workers with these conditions.

Notification

The PIC must notify the Regulatory Authority if a food worker has jaundice or a diagnosed illness that can be transmitted through food.

Potentially Hazardous Foods

Potentially Hazardous Foods require time and temperature control for safety.

PHFs include:

Animal Products

- Meat, fish, poultry, seafood, eggs
- Dairy products

Cooked Starches

• Cooked rice, beans, pasta, potatoes

Fruits and Vegetables

- Cooked vegetables
- Tofu
- Sprouts (such as alfalfa or bean sprouts)
- Cut melons
- Cut leafy greens*
- Cut tomatoes*

*New PHF in 2013

Imminent Health Hazards

A food establishment must immediately stop operations and notify the Regulatory Authority if an imminent health hazard may exist due to:

- Foodborne illness outbreak
- Fire
- Flood
- Loss of electricity
- Lack of hot water or loss of water service
- Sewage backup
- Misuse of toxic or poisonous materials
- Any circumstance that may endanger public health

roou Establ	iisnment insp	bection Rep	DOIL Pag	ge 3 of 4		,			/	
Skagit County Public Health 700 South 2nd Street, #301, Mount Vernon, WA 98273 Phone: (360) 416-1500 e-mail: EH@co.skagit.wa.us Obtain Food Worker Cards on-line: www.foodworkercard.wa.gov								Waglington State Despartment of Health		
NAME OF ESTABLISHMENT La Victoria Bakery MV ADDRESS OR LOCATION 1610 N LaVenture St								Mount Vernon		
MEALS SERVED MEALS OBSERVED	MEALS SERVED B L D PURPOSE OF Routine Preoperational Routine Information Representation Routine Routin				nal □ Reinspe □ Compla		Packa		RISK CATE	3ORY
DATE	TIME IN	ELAPSED TIME		RED POINTS	REPEAT RED			PHONE		
0,0,2010	0.20			TEMPERATURE OB	SERVATIONS					
Fo	and		ocation	Temp (°F)	E	ood		Location		Temp (°F)
M			dairy fridge	39	1	Jou		Location		(1)
	ese	 	dairy fridge	40						
Tam			oduce fridge	39						
Chicha			oduce fridge	39						
Officia	101163	Class pi	oduce mage	39						
			OBSE	RVATIONS AND CO	RRECTIVE ACTIO	NS				
		Violat	tions cited in this	report must be	corrected wit	thin the	time frame	es specified.		
Violation 31	Food proper		5 pts							
	Several food it									
100	a 101 11 11 11 11 11 11 11 11 11 11 11 11		DE	a annliaabla (M	/AC 04C 04E.	2010)		.a		
Correction nee		a copy or sec	tion of code that i	s applicable (w	AC 246-215:	3610) W	as provide	ea		
By Date: 9/6/20	D18									
Observations	0									
Correction ne	eded:									
By Date:										
Observations	•									
Correction ne	eded:									×
By Date:										
Observations	• : • :									
Correction ne	eded:									
By Date:										×
Observations	•									
	* ·									
Correction ne	eaea:									
By Date:						***				
Potentially Hazar		rature Complian	ce Action - Accordin	g to time and ten PHF cooled to	nperature for sa	afety	☐ Ohse	rved PHF		
No action		List foods:	L	41F - List food	s:			uction - List:		
Comments										
		_								
Person In Charge (Signature)	Jona	Cruz	Person In C	Charge Juana	Cruz			Date 9/16/2018	3	
Regulatory Authority Steven Zimmerman Follow-up Needed? Yes VNo										
(Signature) (Print Name) CtCVCT1 ZTTTTTCTTTQTT State Specific Control of the Co										
	J 1									

Red,	High Risk Factors	Pts				
1	PIC certified by accredited program, or compliance with Code, or correct	5				
	answers	3				
2	Food Worker Cards current for all food workers; new food workers trained	5				
3	Proper ill worker and conditional employee practices; no ill workers present;	25				
J	proper reporting of illness	20				
4	Hands washed as required	25				
5	Proper barriers used to prevent bare hand contact with ready-to-eat foods	25				
6	Adequate handwashing facilities	10				
7	Food obtained from approved source	15				
8	Water supply, ice from approved source	10				
9	Proper washing of fruits and vegetables	10				
10	Food in good condition, safe and unadulterated; approved additives	10				
11	Proper disposition of returned, previously served, unsafe, or contaminated	10				
det	food	10				
12	Proper shellstock ID; wild mushroom ID; parasite destruction procedures for	5				
12	fish	0				
13	Food contact surfaces and utensils used for raw meat thoroughly cleaned	15				
10	and sanitized; no cross contamination					
14	Raw meats below or away from ready-to-eat food; species separated	5				
15	Proper handling of pooled eggs	5				
16	Proper cooling procedures	25				
17	Proper hot holding temperatures	25				
17	(5 pts if 130°F to 134°F)	(5)				
18	Proper cooking time and temperature, proper use of noncontinuous cooking	25				
19	No room temperature storage; proper use of time as a control	25				
20	Proper reheating procedures for hot holding	15				
21	Proper cold holding temperatures	10				
21	(5 pts if 42°F to 45°F)	(5)				
22	Accurate thermometer provided and used to evaluate temperature of PHF	5				
23	Proper Consumer Advisory posted for raw or undercooked foods	5				
24	Pasteurized foods used as required; prohibited foods not offered	10				
25	Toxic substances properly identified, stored, used	10				
26	Compliance with risk control plan, variance, plan of operation; valid permit;	10				
	approved procedures for noncontinuous cooking					
27	Variance obtained for specialized processing methods (e.g., ROP)	10				

Blue	, Low Risk Factors	Pts
28	Food received at proper temperature	5
29	Adequate equipment for temperature control	5
30	Proper thawing methods used	3
31	Food properly labeled d Identification	5
32	Insects, rodents, animals not present; entrance controlled	5
33	Potential food contamination prevented during delivery, preparation, storage, display	5
34	Wiping cloths properly used, stored; proper sanitizer	5
35	Employee cleanliness and hygiene	3
36	Proper eating, tasting, drinking, or tobacco use	3
37	In-use utensils properly stored	3
38	Utensils, equipment, linens properly stored, used, handled	3
39	Single-use and single-service articles properly stored, used	3
40	Food and nonfood surfaces properly used and constructed; cleanable	5
41	Warewashing facilities properly installed, maintained, used; test strips available and used	5
42	Food-contact surfaces maintained, cleaned, sanitized	5
43	Nonfood-contact surfaces maintained and clean	3
44	Plumbing properly sized, installed, and maintained; proper backflow devices, indirect drains; no cross-connections	5
45	Sewage, wastewater properly disposed	5
46	Toilet facilities properly constructed, supplied, cleaned	3
47	Garbage, refuse properly disposed; facilities maintained	3
48	Physical facilities properly installed, maintained, cleaned; unnecessary persons excluded from establishment	2
49	Adequate ventilation, lighting; designated areas used	2
50	Posting of permit; mobile establishment name easily visible	2

Abbreviations
Bare Hand Contact
Food Worker Card
Potentially Hazardous Food
Person in Charge
Reduced Oxygen Packaging
0

References
Chapter 246-215 Washington Administrative Code (WAC)
Chapter 246-217 Washington Administrative Code (WAC)
Chapter 69.06 Revised Code of Washington (RCW)
2009 FDA Food Code
www.foodworkercard.wa.gov (Website for Food Worker Cards)

Food Safety Training Requirement

All food workers must have a valid Washington FWC and copies must be available upon request.

New employees without valid FWCs must be given food safety training before beginning food handling duties. The training must be documented and kept onsite. Food workers must have a FWC within 14 calendar days of hire

Initial FWCs are valid for 2 years and renewal cards are valid for 3 years. The FWC must be renewed within 60 days before the card expires.

Restrictions/Exclusion of III Food Workers

Healthy food workers are important factors in foodborne illness prevention. Food workers must inform the PIC if they have:

- Symptoms including diarrhea, vomiting, or jaundice.
- A diagnosed illness from Salmonella Typhi, Shigella, Shiga toxin-producing E. coli, or hepatitis A.
- A diagnosed illness from Norovirus or any Salmonella, if serving a highly susceptible population.
- Infected, uncovered wounds.
- Discharges from the eyes, nose, or mouth (persistent sneezing, coughing, or runny nose).
- Sore throat with fever.

The PIC must restrict or exclude food workers with these conditions.

Notification

The PIC must notify the Regulatory Authority if a food worker has jaundice or a diagnosed illness that can be transmitted through food.

Handwashing and Preventing Bare Hand Contact

Handwashing must take at least 20 seconds, and include a 10-15 second scrub, a thorough rinse, and a complete drying of the hands.

Bare hand contact with ready-to-eat foods is prohibited. Single-use gloves, tongs, utensils, or other approved methods must be used when handling ready-to-eat foods.

Imminent Health Hazards

A food establishment must immediately stop operations and notify the Regulatory Authority if an imminent health hazard may exist due to:

- Foodborne illness outbreak
- Fire
- Flood
- Loss of electricity
- Lack of hot water or loss of water service
- Sewage backup
- Misuse of toxic or poisonous materials
- Any circumstance that may endanger public health