		10.75	
	Pili B		
ea	600 to	461	81 A A B

	700 South 2 nd		ount Vernon WA 9								EMAIL			/		Hedisəgən S He	iate Dep artment of alth
Obtain Food Worker Cards on-line: www.foodworkercard.wa.us																	
	ME OF ESTABLISH		D : D''		ESS OR								CITY				
Lá	Conner S	Seafood and I		614 Routine		th Fi	rst St □Pre			al □ Reinspe	ootion	ESTABLISHN	MENT TYPE	RISK	CATEG	ORY	
	ALS SERVED ALS OBS.	□B ■L □D	INSPECTION	🗌 Iliness I		ation				□ Compla							
DAT	E	TIME IN	ELAPSED TIME	Other:	INTS	RE	D POINT	S	ı	REPEAT RED			PHONE				
02/	02:2018	11:00	40	25		2	5 =DX#[@	ZUY:	n sva	FACTORS							
	18.1					cedure	es identi	fied a	as the	most prevalent o			podborne illness or injury.				*************
#	Compliance Sta	= In Compliance tus	OUT = Not In Com	pilance	CDI	NOT OR	served PTS	, P	#	Not Applicable Compliance Statu	IS		ing Inspection R = Repe	at viola	CDI	R	PTS
1 1	nonstration o		by accredited progr	am, or			NA		16	ntially Hazardo OUT-25pts		per cooling p					25
			vith Code, or correct Cards current for a							O01-25pts						ш	23
2	IN ployee Health	workers; new	/ food workers train	ed			NA		17	IN		per hot holdii ots if 130°F to	ng temperatures 134°F)				NA
		Proper ill wor	rker and conditional						40		Pro	per cooking t	ime and temperature;				
3	IN	precent: prop	actices; no ill worke per reporting of illne	ee	ш	ш	NA		18	IN			ncontinuous cooking		ш	ш	NA
			nds						19	IN		room temper e as a control	ature storage; proper use o	of			NA
4	IN		ed as required ers used to prevent	hare hand	ᆜ	ᆜ	NA		20	IN			procedures for hot holding ing temperatures	3			NA
5	IN	contact with r	ready-to-eat foods				NA		21	IN	(5 p	ts if 42°F to				П	NA
6	IN		ndwashing facilities				NA		22	IN	eva		ature of PHFs	o .			NA
7	Noved Source		ot Adulterated ed from approved so				NA			sumer Advisor		per Consume	er Advisory posted for raw	or	$\overline{}$		
8	IN N/O		, ice from approved ing of fruits and veg		H		NA NA		23 	IN	und	ercooked foo	ods				NA
10	IN	Food in good	condition, safe and	ł	H	H	NA NA						ls used as required; prohib	ited			
			d; approved additive sition of returned, p						24	N/A		ds not offered			ш	ш	NA
11	IN		fe, or contaminated			Ш	NA		Cher	nical			1 11 (15 1 4				
12	IN		stock ID; wild mushr				NA		25	IN	use		s properly identified, stored	1,			NA
270	tection from (Cross Contamina	tion						Con	ormance with	Approv	ed Procedui	es				
13	IN	for raw meat	surfaces and utens thoroughly cleaned	and			NA		26	IN	plar	n of operation	risk control plan, variance ; valid permit; approved	,			NA
11	INI		cross contaminatio elow or away from				81.5		27				oncontinuous cooking ed for specialized processir	ng			
14	IN		cies separated		片	므	NA		27	N/A	met	thods (e.g., R	OP)				NA
15	N/O	Proper handl	ing of pooled eggs				NA IIII:::::::::::::::::::::::::::::::::	7474	DICK	FACTORS				K	ea Pa	ints	25
		L	ow Risk Factors are	preventive	measur	es to d	control th	ne ac	dition	of pathogens, ch							
			nati wa		IN/OUT	R	PTS						ly used and constructed;	1	N/OUT	R □□	PTS NA
28		d at proper tempe				브	NA		40	cleanable Warewashing	facilities	nronerly ins	talled, maintained, used; te	et			
29		uipment for tempe	rature control			님	NA		41	strips available	e and us	sed				ᆜ	NA
30	Proper thawird Identification	ng methods used on					NA		42 43	Nonfood-conta			cleaned, sanitized ed and clean			님	NA NA
31	Food properly	v labeled			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		NA		Phys	ical Facilities							
32		Contamination nts, animals not pr	resent; entrance co	ntrolled			NA		44				and maintained; proper o cross-connections				NA
33	Potential food	d contamination pr	evented during deli				NA		45	Sewage, wast	·····	·					NA
34		storage, display s properly used, sto	ored; proper sanitiz	er			NA		46				l, supplied, cleaned				NA
35		eanliness and hygi					NA		47				; facilities maintained				NA
36		g, tasting, drinking,					NA		48	unnecessary p	persons	excluded from	, maintained, cleaned; n establishment				NA
37		ensils Is properly stored				П	NA		49 50				gnated areas used ment name easily visible			님	NA NA
38			perly stored, used,	handle			NA			. scarig or per		o combile	Oddily Visible	В	lue Po	ints	0
39			articles properly stor				NA				Use t	he following l	plank lines to write comme	nts.			
	Improper cocedure toda		cooled too thick	. Cool m	aximu	ım tv	vo incl	n de	pth (OR documen	ted 13	5° to 71° aı	nd 71° to 41° in next fo	ur ho	urs.	Corr	ect
Perso	on In Charge	Sle_			Person	In Cha	rge K 2	ari	vai	ndenbos	ch		Date 02:02/2018				
(Sign	ature)	10le n//			7	unio,							Follow-up Needed?	briggeraner	Yes	./	No
(Sign	ature)	1 1 / de	Property,		(Print N	lame)		via	u K	Caufman			onow-up rveeaea?	<u>[</u>	res	٧	140

Internal Cooking Temperatures				
135°F	Plant foods for hot holding			
	Unpasteurized eggs			
	Fish, except as listed below			
145°F for 15 seconds	Meat, except as listed below			
	Pork, except as listed below			
	Commercially raised game animals, rabbits			
	Ground or comminuted meats or fish			
45505 for 45 and and	Injected or mechanically tenderized meats			
155°F for 15 seconds	Ratites (ostrich, rhea, emu)			
	Pooled eggs when allowed			
	Poultry			
165°F for 15 seconds	Stuffed foods including: fish, meat, pasta, poultry			
	Stuffing containing fish, meat, or poultry			
	Wild game animals			
WAC 246-215-03400(2)	Whole meat roasts; ham			
Holding Temperatures	41°F or less; 135°F or greater			

Cooling

Cool foods in shallow pans with a food depth of 2 inches or less, uncovered, refrigerated at 41°F, and protected from contamination.

OR

Cool foods from 135°F to 70°F within 2 hours

and

Cool foods to 41°F within a total of 6 hours or less.

Use the following cooling options:

- Rapid cooling equipment
- Ice bath
- Other methods that meet the time temperature criteria

	Abbreviations
BHC	Bare Hand Contact
FWC	Food Worker Card
PHF	Potentially Hazardous Food
PIC	Person in Charge
ROP	Reduced Oxygen Packaging

Handwashing and Preventing Bare Hand Contact

Handwashing must take at least 20 seconds, and include a 10-15 second scrub, a thorough rinse, and a complete drying of the hands.

Bare hand contact with ready-to-eat foods is prohibited. Single-use gloves, tongs, utensils, or other approved methods must be used when handling ready-to-eat foods.

References
Chapter 246-215 Washington Administrative Code (WAC)
Chapter 246-217 Washington Administrative Code (WAC)
Chapter 69.06 Revised Code of Washington (RCW)
2009 FDA Food Code
www.foodworkercard.wa.gov (Website for Food Worker Cards)

Food Safety Training Requirement

All food workers must have a valid Washington FWC and copies must be available upon request.

New employees without valid FWCs must be given food safety training before beginning food handling duties. The training must be documented and kept onsite. Food workers must have a FWC within 14 calendar days of hire.

Initial FWCs are valid for 2 years and renewal cards are valid for 3 years. The FWC must be renewed within 60 days before the card expires.

Restrictions/Exclusion of III Food Workers

Healthy food workers are important factors in foodborne illness prevention. Food workers must inform the PIC if they have:

- Symptoms including diarrhea, vomiting, or jaundice.
- A diagnosed illness from Salmonella Typhi, Shigella, Shiga toxin-producing E. coli, or hepatitis A.
- A diagnosed illness from Norovirus or any Salmonella, if serving a highly susceptible population.
- Infected, uncovered wounds.
- **Discharges** from the eyes, nose, or mouth (persistent sneezing, coughing, or runny nose).
- Sore throat with fever.

The PIC must restrict or exclude food workers with these conditions.

Notification

The PIC must notify the Regulatory Authority if a food worker has jaundice or a diagnosed illness that can be transmitted through food.

Potentially Hazardous Foods

Potentially Hazardous Foods require time and temperature control for safety.

PHFs include:

Animal Products

- Meat, fish, poultry, seafood, eggs
- Dairy products

Cooked Starches

Cooked rice, beans, pasta, potatoes

Fruits and Vegetables

- Cooked vegetables
- Tofu
- Sprouts (such as alfalfa or bean sprouts)
- Cut melons
- Cut leafy greens*
- Cut tomatoes*

*New PHF in 2013

Imminent Health Hazards

A food establishment must immediately stop operations and notify the Regulatory Authority if an imminent health hazard may exist due to:

- Foodborne illness outbreak
- Fire
- Flood
- Loss of electricity
- Lack of hot water or loss of water service
- Sewage backup
- Misuse of toxic or poisonous materials
- Any circumstance that may endanger public health

Food Establishment Inspection Rep	ort Page	e 3 of 4				4
Skagit County Public Health 700 South 2nd Street, #301, Mount Vernon, W Phone: (360) 416-1500 e-mail: EH@co.skag Obtain Food Worker Cards on-line: www.food	git.wa.us			EMAIL		W Health
NAME OF ESTABLISHMENT	ADDRESS OR LOCA	ATION			СІТҮ	
La Conner Seafood and Prime Rib	614 South			ection ESTABLISHM	MENT TVDE	RISK CATEGORY
MEALS SERVED B • L • D PURPOSE OF INSPECTION	■ Routine □ Illness Investigation □ Other:	☐ Preoperati ☐ Temporar		7011011	MENT TIPE	RISK CATEGORY
DATE TIME IN ELAPSED TIME 02/02:2018 11:00 40	TOTAL POINTS RI	ED POINTS	REPEAT RED		PHONE	
40		EMPERATURE C	BSERVATIONS			
Food L	ocation	Temp (°F)	Fo	ood	Location	Temp (°F)
Violat	observ tions cited in this re		ORRECTIVE ACTIO		es specified	
	ions cited in tims it	port mast o	CONCOCCO WIE	iiii tiit tiiit iiut	os specifica.	
Observations:						
Correction needed:						
By Date:						
Observations:						
Correction needed:						
By Date:						
Observations:						
Correction needed: By Date:						
Observations:						
Correction needed:						
By Date:						
Observations:						
Correction needed:						
By Date:	***************************************	************************************		**************************************		

Person In Charge	Person In Ch	arge V ori	andanhaa	oh.	02.02/204	
(Signature) Regulatory Authority			andenbos		Date 02:02/201 Follow-up Needed?	parateixare personaler
(Signature)	(Print Name)	www.iviatt	Kaufman		Follow-up Needed?	Yes ✓ No

Red	, High Risk Factors	Pts
1	PIC certified by accredited program, or compliance with Code, or correct	5
'	answers	5
2	Food Worker Cards current for all food workers; new food workers trained	5
3	Proper ill worker and conditional employee practices; no ill workers present;	25
ა	proper reporting of illness	20
4	Hands washed as required	25
5	Proper barriers used to prevent bare hand contact with ready-to-eat foods	25
6	Adequate handwashing facilities	10
7	Food obtained from approved source	15
8	Water supply, ice from approved source	7 13
9	Proper washing of fruits and vegetables	10
10	Food in good condition, safe and unadulterated; approved additives	10
11	Proper disposition of returned, previously served, unsafe, or contaminated food	10
12	Proper shellstock ID; wild mushroom ID; parasite destruction procedures for fish	5
	Food contact surfaces and utensils used for raw meat thoroughly cleaned	
13	and sanitized; no cross contamination	15
14	Raw meats below or away from ready-to-eat food; species separated	5
15	Proper handling of pooled eggs	5
16	Proper cooling procedures	25
	Proper hot holding temperatures	25
17	(5 pts if 130°F to 134°F)	(5)
18	Proper cooking time and temperature, proper use of noncontinuous cooking	25
19	No room temperature storage; proper use of time as a control	25
20	Proper reheating procedures for hot holding	15
	Proper cold holding temperatures	10
21	(5 pts if 42°F to 45°F)	(5)
22	Accurate thermometer provided and used to evaluate temperature of PHF	5
23	Proper Consumer Advisory posted for raw or undercooked foods	5
24	Pasteurized foods used as required; prohibited foods not offered	10
25	Toxic substances properly identified, stored, used	10
200	Compliance with risk control plan, variance, plan of operation; valid permit;	40
26	approved procedures for noncontinuous cooking	10
27	Variance obtained for specialized processing methods (e.g., ROP)	10

Blue	e, Low Risk Factors	Pts
28	Food received at proper temperature	5
29	Adequate equipment for temperature control	5
30	Proper thawing methods used	3
31	Food properly labeled d Identification	5
32	Insects, rodents, animals not present; entrance controlled	5
33	Potential food contamination prevented during delivery, preparation, storage, display	5
34	Wiping cloths properly used, stored, proper sanitizer	5
35	Employee cleanliness and hygiene	3
36	Proper eating, tasting, drinking, or tobacco use	3
37	In-use utensils properly stored	3
38	Utensils, equipment, linens properly stored, used, handled	3
39	Single-use and single-service articles properly stored, used	3
40	Food and nonfood surfaces properly used and constructed; cleanable	5
41	Warewashing facilities properly installed, maintained, used; test strips available and used	5
42	Food-contact surfaces maintained, cleaned, sanitized	5
43	Nonfood-contact surfaces maintained and clean	3
44	Plumbing properly sized, installed, and maintained; proper backflow devices, indirect drains; no cross-connections	5
45	Sewage, wastewater properly disposed	5
46	Toilet facilities properly constructed, supplied, cleaned	3
47	Garbage, refuse properly disposed; facilities maintained	3
48	Physical facilities properly installed, maintained, cleaned; unnecessary persons excluded from establishment	2
49	Adequate ventilation, lighting; designated areas used	2
50	Posting of permit; mobile establishment name easily visible	2

	Abbreviations
внс	Bare Hand Contact
FWC	Food Worker Card
PHF	Potentially Hazardous Food
PIC	Person in Charge
ROP	Reduced Oxygen Packaging

References
Chapter 246-215 Washington Administrative Code (WAC)
Chapter 246-217 Washington Administrative Code (WAC)
Chapter 69.06 Revised Code of Washington (RCW)
2009 FDA Food Code
www.foodworkercard.wa.gov (Website for Food Worker Cards)

Food Safety Training Requirement

All food workers must have a valid Washington FWC and copies must be available upon request.

New employees without valid FWCs must be given food safety training before beginning food handling duties. The training must be documented and kept onsite. Food workers must have a FWC within 14 calendar days of hire.

Initial FWCs are valid for 2 years and renewal cards are valid for 3 years. The FWC must be renewed within 60 days before the card expires.

Restrictions/Exclusion of III Food Workers

Healthy food workers are important factors in foodborne illness prevention. Food workers must inform the PIC if they have:

- Symptoms including diarrhea, vomiting, or jaundice.
- A diagnosed illness from Salmonella Typhi, Shigella, Shiga toxin-producing *E. coli*, or hepatitis A.
- A diagnosed illness from Norovirus or any Salmonella, if serving a highly susceptible population.
- Infected, uncovered wounds.
- Discharges from the eyes, nose, or mouth (persistent sneezing, coughing, or runny nose).
- Sore throat with fever.

The PIC must restrict or exclude food workers with these conditions.

Notification

The PIC must notify the Regulatory Authority if a food worker has jaundice or a diagnosed illness that can be transmitted through food.

Handwashing and Preventing Bare Hand Contact

Handwashing must take at least 20 seconds, and include a 10-15 second scrub, a thorough rinse, and a complete drying of the hands.

Bare hand contact with ready-to-eat foods is prohibited. Single-use gloves, tongs, utensils, or other approved methods must be used when handling ready-to-eat foods.

Imminent Health Hazards

A food establishment must immediately stop operations and notify the Regulatory Authority if an imminent health hazard may exist due to:

- Foodborne illness outbreak
- Fire
- Flood
- Loss of electricity
- Lack of hot water or loss of water service
- Sewage backup
- Misuse of toxic or poisonous materials
- Any circumstance that may endanger public health