



Skagit County Public Health
 700 South 2nd Street, #301, Mount Vernon WA 98273
 Phone: (360) 416-1500 e-mail: EH@co.skagit.wa.us
 Obtain Food Worker Cards on-line: www.foodworkercard.wa.us

EMAIL

NAME OF ESTABLISHMENT: Liberty Bistro ADDRESS OR LOCATION: 707 Metcalf CITY: SW

MEALS SERVED: B L D PURPOSE OF INSPECTION: Routine Preoperational Reinspection Illness Investigation Temporary Complaint ESTABLISHMENT TYPE: Small 3 and cater RISK CATEGORY:

DATE: 8/17/2018 TIME IN: 11:37 a ELAPSED TIME: 30 TOTAL POINTS: 10 RED POINTS: 10 REPEAT RED: 10 PHONE:

RED HIGH RISK FACTORS

High Risk Factors are improper practices or procedures identified as the most prevalent contributing factors of foodborne illness or injury.
 IN = In Compliance OUT = Not In Compliance N/O = Not Observed N/A = Not Applicable CDI = Corrected During Inspection R = Repeat Violation

#	Compliance Status		CDI	R	PTS	#	Compliance Status		CDI	R	PTS
Demonstration of Knowledge						Potentially Hazardous Food Time and Temperature					
1	IN	PIC certified by accredited program, or compliance with Code, or correct answers	<input type="checkbox"/>	<input type="checkbox"/>	NA	16	IN	Proper cooling procedures	<input type="checkbox"/>	<input type="checkbox"/>	NA
2	IN	Food Worker Cards current for all food workers; new food workers trained	<input type="checkbox"/>	<input type="checkbox"/>	NA	17	N/O	Proper hot holding temperatures (5 pts if 130°F to 134°F)	<input type="checkbox"/>	<input type="checkbox"/>	NA
Employee Health						Consumer Advisory					
3	IN	Proper ill worker and conditional employee practices; no ill workers present; proper reporting of illness	<input type="checkbox"/>	<input type="checkbox"/>	NA	23	N/A	Proper Consumer Advisory posted for raw or undercooked foods	<input type="checkbox"/>	<input type="checkbox"/>	NA
Preventing Contamination by Hands						Highly Susceptible Populations					
4	N/O	Hands washed as required	<input type="checkbox"/>	<input type="checkbox"/>	NA	24	IN	Pasteurized foods used as required; prohibited foods not offered	<input type="checkbox"/>	<input type="checkbox"/>	NA
5	IN	Proper barriers used to prevent bare hand contact with ready-to-eat foods	<input type="checkbox"/>	<input type="checkbox"/>	NA	Chemical					
6	IN	Adequate handwashing facilities	<input type="checkbox"/>	<input type="checkbox"/>	NA	25	IN	Toxic substances properly identified, stored, used	<input type="checkbox"/>	<input type="checkbox"/>	NA
Approved Source, Wholesome, Not Adulterated						Conformance with Approved Procedures					
7	IN	Food obtained from approved source	<input type="checkbox"/>	<input type="checkbox"/>	NA	26	IN	Compliance with risk control plan, variance, plan of operation; valid permit; approved procedures for noncontinuous cooking	<input type="checkbox"/>	<input type="checkbox"/>	NA
8	IN	Water supply, ice from approved source	<input type="checkbox"/>	<input type="checkbox"/>	NA	27	N/A	Variance obtained for specialized processing methods (e.g., ROP)	<input type="checkbox"/>	<input type="checkbox"/>	NA
9	N/O	Proper washing of fruits and vegetables	<input type="checkbox"/>	<input type="checkbox"/>	NA	Red Points 10					
10	IN	Food in good condition, safe and unadulterated; approved additives	<input type="checkbox"/>	<input type="checkbox"/>	NA	BLUE LOW RISK FACTORS					
11	IN	Proper disposition of returned, previously served, unsafe, or contaminated food	<input type="checkbox"/>	<input type="checkbox"/>	NA	Low Risk Factors are preventive measures to control the addition of pathogens, chemicals, and physical objects into foods.					
12	N/A	Proper shellstock ID; wild mushroom ID; parasite destruction procedures for fish	<input type="checkbox"/>	<input type="checkbox"/>	NA	Food Temperature Control					
Protection from Cross Contamination						Utensils and Equipment					
13	IN	Food contact surfaces and utensils used for raw meat thoroughly cleaned and sanitized; no cross contamination	<input type="checkbox"/>	<input type="checkbox"/>	NA	28		Food received at proper temperature	<input type="checkbox"/>	<input type="checkbox"/>	NA
14	IN	Raw meats below or away from ready-to-eat food; species separated	<input type="checkbox"/>	<input type="checkbox"/>	NA	29		Adequate equipment for temperature control	<input type="checkbox"/>	<input type="checkbox"/>	NA
15	IN	Proper handling of pooled eggs	<input type="checkbox"/>	<input type="checkbox"/>	NA	30		Proper thawing methods used	<input type="checkbox"/>	<input type="checkbox"/>	NA
Approved Source, Wholesome, Not Adulterated						Food Identification					
7	IN	Food obtained from approved source	<input type="checkbox"/>	<input type="checkbox"/>	NA	31		Food properly labeled	<input type="checkbox"/>	<input type="checkbox"/>	NA
8	IN	Water supply, ice from approved source	<input type="checkbox"/>	<input type="checkbox"/>	NA	Protection from Contamination					
9	N/O	Proper washing of fruits and vegetables	<input type="checkbox"/>	<input type="checkbox"/>	NA	32		Insects, rodents, animals not present; entrance controlled	<input type="checkbox"/>	<input type="checkbox"/>	NA
10	IN	Food in good condition, safe and unadulterated; approved additives	<input type="checkbox"/>	<input type="checkbox"/>	NA	33		Potential food contamination prevented during delivery, preparation, storage, display	<input type="checkbox"/>	<input type="checkbox"/>	NA
11	IN	Proper disposition of returned, previously served, unsafe, or contaminated food	<input type="checkbox"/>	<input type="checkbox"/>	NA	34		Wiping cloths properly used, stored; proper sanitizer	<input type="checkbox"/>	<input type="checkbox"/>	NA
12	N/A	Proper shellstock ID; wild mushroom ID; parasite destruction procedures for fish	<input type="checkbox"/>	<input type="checkbox"/>	NA	35		Employee cleanliness and hygiene	<input type="checkbox"/>	<input type="checkbox"/>	NA
Protection from Cross Contamination						Physical Facilities					
13	IN	Food contact surfaces and utensils used for raw meat thoroughly cleaned and sanitized; no cross contamination	<input type="checkbox"/>	<input type="checkbox"/>	NA	44		Plumbing properly sized, installed, and maintained; proper backflow devices, indirect drains; no cross-connections	<input type="checkbox"/>	<input type="checkbox"/>	NA
14	IN	Raw meats below or away from ready-to-eat food; species separated	<input type="checkbox"/>	<input type="checkbox"/>	NA	45		Sewage, wastewater properly disposed	<input type="checkbox"/>	<input type="checkbox"/>	NA
15	IN	Proper handling of pooled eggs	<input type="checkbox"/>	<input type="checkbox"/>	NA	46		Toilet facilities properly constructed, supplied, cleaned	<input type="checkbox"/>	<input type="checkbox"/>	NA
Approved Source, Wholesome, Not Adulterated						Blue Points 0					
7	IN	Food obtained from approved source	<input type="checkbox"/>	<input type="checkbox"/>	NA	Use the following blank lines to write comments.					
8	IN	Water supply, ice from approved source	<input type="checkbox"/>	<input type="checkbox"/>	NA						
9	N/O	Proper washing of fruits and vegetables	<input type="checkbox"/>	<input type="checkbox"/>	NA						
10	IN	Food in good condition, safe and unadulterated; approved additives	<input type="checkbox"/>	<input type="checkbox"/>	NA						
11	IN	Proper disposition of returned, previously served, unsafe, or contaminated food	<input type="checkbox"/>	<input type="checkbox"/>	NA						
12	N/A	Proper shellstock ID; wild mushroom ID; parasite destruction procedures for fish	<input type="checkbox"/>	<input type="checkbox"/>	NA						

Low Risk Factors are preventive measures to control the addition of pathogens, chemicals, and physical objects into foods.

#	Compliance Status		IN/OUT	R	PTS	#	Compliance Status		IN/OUT	R	PTS
Food Temperature Control						Utensils and Equipment					
28		Food received at proper temperature		<input type="checkbox"/>	NA	40		Food and nonfood surfaces properly used and constructed; cleanable		<input type="checkbox"/>	NA
29		Adequate equipment for temperature control		<input type="checkbox"/>	NA	41		Warewashing facilities properly installed, maintained, used; test strips available and used		<input type="checkbox"/>	NA
30		Proper thawing methods used		<input type="checkbox"/>	NA	42		Food-contact surfaces maintained, cleaned, sanitized		<input type="checkbox"/>	NA
Food Identification						Physical Facilities					
31		Food properly labeled		<input type="checkbox"/>	NA	43		Nonfood-contact surfaces maintained and clean		<input type="checkbox"/>	NA
Protection from Contamination						Blue Points 0					
32		Insects, rodents, animals not present; entrance controlled		<input type="checkbox"/>	NA	Use the following blank lines to write comments.					
33		Potential food contamination prevented during delivery, preparation, storage, display		<input type="checkbox"/>	NA						
34		Wiping cloths properly used, stored; proper sanitizer		<input type="checkbox"/>	NA						
35		Employee cleanliness and hygiene		<input type="checkbox"/>	NA						
36		Proper eating, tasting, drinking, or tobacco use		<input type="checkbox"/>	NA						
Proper Use of Utensils											
37		In-use utensils properly stored		<input type="checkbox"/>	NA						
38		Utensils, equipment, linens properly stored, used, handle		<input type="checkbox"/>	NA						
39		Single-use and single-service articles properly stored, used		<input type="checkbox"/>	NA						

Email temp logs given during inspection to me every Friday. Monitor top bins prep refrigerator (meats, cheese, tomatoes, lettuce)

Provide inspection report to PIC via: E-mail Paper copy

Person In Charge (Signature): Person In Charge (Print Name): Ian Larsen Date: 8/17/2018

Regulatory Authority (Signature): Regulatory Authority (Print Name): Jeanne King Follow-up Needed? Yes No

Internal Cooking Temperatures	
135°F	Plant foods for hot holding
145°F for 15 seconds	Unpasteurized eggs
	Fish, except as listed below
	Meat, except as listed below
	Pork, except as listed below
155°F for 15 seconds	Commercially raised game animals, rabbits
	Ground or comminuted meats or fish
	Injected or mechanically tenderized meats
	Ratites (ostrich, rhea, emu)
165°F for 15 seconds	Pooled eggs when allowed
	Poultry
	Stuffed foods including: fish, meat, pasta, poultry
	Stuffing containing fish, meat, or poultry
WAC 246-215-03400(2)	Wild game animals
	Whole meat roasts; ham
Holding Temperatures	41°F or less; 135°F or greater

Cooling
Cool foods in shallow pans with a food depth of 2 inches or less, uncovered, refrigerated at 41°F, and protected from contamination.
OR
Cool foods from 135°F to 70°F within 2 hours
and
Cool foods to 41°F within a total of 6 hours or less.
Use the following cooling options: <ul style="list-style-type: none"> • Rapid cooling equipment • Ice bath • Other methods that meet the time temperature criteria

Abbreviations
BHC Bare Hand Contact
FWC Food Worker Card
PHF Potentially Hazardous Food
PIC Person in Charge
ROP Reduced Oxygen Packaging

Handwashing and Preventing Bare Hand Contact
Handwashing must take at least 20 seconds, and include a 10-15 second scrub, a thorough rinse, and a complete drying of the hands.
Bare hand contact with ready-to-eat foods is prohibited. Single-use gloves, tongs, utensils, or other approved methods must be used when handling ready-to-eat foods.

References
Chapter 246-215 Washington Administrative Code (WAC)
Chapter 246-217 Washington Administrative Code (WAC)
Chapter 69.06 Revised Code of Washington (RCW)
2009 FDA Food Code
www.foodworkercard.wa.gov (Website for Food Worker Cards)

Food Safety Training Requirement
All food workers must have a valid Washington FWC and copies must be available upon request.
New employees without valid FWCs must be given food safety training before beginning food handling duties. The training must be documented and kept onsite. Food workers must have a FWC within 14 calendar days of hire.
Initial FWCs are valid for 2 years and renewal cards are valid for 3 years. The FWC must be renewed within 60 days before the card expires.

Restrictions/Exclusion of Ill Food Workers
Healthy food workers are important factors in foodborne illness prevention. Food workers must inform the PIC if they have: <ul style="list-style-type: none"> • Symptoms including diarrhea, vomiting, or jaundice. • A diagnosed illness from <i>Salmonella</i> Typhi, <i>Shigella</i>, Shiga toxin-producing <i>E. coli</i>, or hepatitis A. • A diagnosed illness from Norovirus or any <i>Salmonella</i>, if serving a highly susceptible population. • Infected, uncovered wounds. • Discharges from the eyes, nose, or mouth (persistent sneezing, coughing, or runny nose). • Sore throat with fever.
The PIC must restrict or exclude food workers with these conditions.

Notification
The PIC must notify the Regulatory Authority if a food worker has jaundice or a diagnosed illness that can be transmitted through food.

Potentially Hazardous Foods
Potentially Hazardous Foods require time and temperature control for safety. PHFs include: <ul style="list-style-type: none"> Animal Products <ul style="list-style-type: none"> • Meat, fish, poultry, seafood, eggs • Dairy products Cooked Starches <ul style="list-style-type: none"> • Cooked rice, beans, pasta, potatoes Fruits and Vegetables <ul style="list-style-type: none"> • Cooked vegetables • Tofu • Sprouts (such as alfalfa or bean sprouts) • Cut melons • Cut leafy greens* • Cut tomatoes*
*New PHF in 2013

Imminent Health Hazards
A food establishment must immediately stop operations and notify the Regulatory Authority if an imminent health hazard may exist due to: <ul style="list-style-type: none"> • Foodborne illness outbreak • Fire • Flood • Loss of electricity • Lack of hot water or loss of water service • Sewage backup • Misuse of toxic or poisonous materials • Any circumstance that may endanger public health

Food Establishment Inspection Report



Skagit County Public Health
 700 South 2nd Street, #301, Mount Vernon, WA 98273
 Phone: (360) 416-1500 e-mail: EH@co.skagit.wa.us
 Obtain Food Worker Cards on-line: www.foodworkercard.wa.gov

EMAIL

NAME OF ESTABLISHMENT: **Liberty Bistro** ADDRESS OR LOCATION: **707 Metcalf** CITY: **SW**

MEALS SERVED: B L D PURPOSE OF INSPECTION: Routine Preoperational Reinspection
 MEALS OBSERVED: B L D Illness Investigation Temporary Complaint ESTABLISHMENT TYPE: **Small 3 and cater** RISK CATEGORY:

DATE: **8/17/2018** TIME IN: **11:37 a** ELAPSED TIME: **30** TOTAL POINTS: **10** RED POINTS: **10** REPEAT RED: **10** PHONE:

TEMPERATURE OBSERVATIONS					
Food	Location	Temp (°F)	Food	Location	Temp (°F)
Sliced tomatoes	Top bins prep refrigerator	41	Chicken for cater	Cooling(30 min) in back refrigerator	74-80
Chicken	"	46	Ribs for cater	Cooking	
Cheese	"	45	Slaw for cater	Refrigerator	41
	Reach in refrigerator				

OBSERVATIONS AND CORRECTIVE ACTIONS

Violations cited in this report must be corrected within the time frames specified.

Violation 21-10 Proper cold holding, >45 10 pts

Observations: See top bins prep refrigerator temps above. Repeat.

Correction needed: Monitor and adjust as needed at least two times per day morning and night to prevent freezing at night and to warm during day. Tips for cold holding discussed. CDI adjusted during inspection

By Date: **Immediate**

Observations: Cooling done properly see chicken for cater above

Correction needed:

By Date: **Now**

Observations:

Correction needed:

By Date:

Observations:

Correction needed:

By Date:

Observations:

Correction needed:

By Date:

Observations:

Correction needed:

By Date:

Potentially Hazardous Food Temperature Compliance Action - According to time and temperature for safety
 In compliance No action PHF reheated to 165F - List foods:
 PHF cooled to 41F - List foods: Observed PHF destruction - List:

Comments

Person In Charge (Signature): Person In Charge (Print Name): **Ian Larsen** Date: **8/17/2018**
 Regulatory Authority (Signature): Regulatory Authority (Print Name): **Jeanne King** Follow-up Needed? Yes No

Red, High Risk Factors		Pts
1	PIC certified by accredited program, or compliance with Code, or correct answers	5
2	Food Worker Cards current for all food workers; new food workers trained	5
3	Proper ill worker and conditional employee practices; no ill workers present; proper reporting of illness	25
4	Hands washed as required	25
5	Proper barriers used to prevent bare hand contact with ready-to-eat foods	25
6	Adequate handwashing facilities	10
7	Food obtained from approved source	15
8	Water supply, ice from approved source	
9	Proper washing of fruits and vegetables	10
10	Food in good condition, safe and unadulterated; approved additives	10
11	Proper disposition of returned, previously served, unsafe, or contaminated food	10
12	Proper shellstock ID; wild mushroom ID; parasite destruction procedures for fish	5
13	Food contact surfaces and utensils used for raw meat thoroughly cleaned and sanitized; no cross contamination	15
14	Raw meats below or away from ready-to-eat food; species separated	5
15	Proper handling of pooled eggs	5
16	Proper cooling procedures	25
17	Proper hot holding temperatures (5 pts if 130°F to 134°F)	25 (5)
18	Proper cooking time and temperature, proper use of noncontinuous cooking	25
19	No room temperature storage; proper use of time as a control	25
20	Proper reheating procedures for hot holding	15
21	Proper cold holding temperatures (5 pts if 42°F to 45°F)	10 (5)
22	Accurate thermometer provided and used to evaluate temperature of PHF	5
23	Proper Consumer Advisory posted for raw or undercooked foods	5
24	Pasteurized foods used as required; prohibited foods not offered	10
25	Toxic substances properly identified, stored, used	10
26	Compliance with risk control plan, variance, plan of operation; valid permit; approved procedures for noncontinuous cooking	10
27	Variance obtained for specialized processing methods (e.g., ROP)	10

Blue, Low Risk Factors		Pts
28	Food received at proper temperature	5
29	Adequate equipment for temperature control	5
30	Proper thawing methods used	3
31	Food properly labeled and identification	5
32	Insects, rodents, animals not present; entrance controlled	5
33	Potential food contamination prevented during delivery, preparation, storage, display	5
34	Wiping cloths properly used, stored; proper sanitizer	5
35	Employee cleanliness and hygiene	3
36	Proper eating, tasting, drinking, or tobacco use	3
37	In-use utensils properly stored	3
38	Utensils, equipment, linens properly stored, used, handled	3
39	Single-use and single-service articles properly stored, used	3
40	Food and nonfood surfaces properly used and constructed; cleanable	5
41	Warewashing facilities properly installed, maintained, used; test strips available and used	5
42	Food-contact surfaces maintained, cleaned, sanitized	5
43	Nonfood-contact surfaces maintained and clean	3
44	Plumbing properly sized, installed, and maintained; proper backflow devices, indirect drains; no cross-connections	5
45	Sewage, wastewater properly disposed	5
46	Toilet facilities properly constructed, supplied, cleaned	3
47	Garbage, refuse properly disposed; facilities maintained	3
48	Physical facilities properly installed, maintained, cleaned; unnecessary persons excluded from establishment	2
49	Adequate ventilation, lighting; designated areas used	2
50	Posting of permit; mobile establishment name easily visible	2

Abbreviations	
BHC	Bare Hand Contact
FWC	Food Worker Card
PHF	Potentially Hazardous Food
PIC	Person in Charge
ROP	Reduced Oxygen Packaging

References
Chapter 246-215 Washington Administrative Code (WAC)
Chapter 246-217 Washington Administrative Code (WAC)
Chapter 69.06 Revised Code of Washington (RCW)
2009 FDA Food Code
www.foodworkercard.wa.gov (Website for Food Worker Cards)

Food Safety Training Requirement
All food workers must have a valid Washington FWC and copies must be available upon request.
New employees without valid FWCs must be given food safety training before beginning food handling duties. The training must be documented and kept onsite. Food workers must have a FWC within 14 calendar days of hire.
Initial FWCs are valid for 2 years and renewal cards are valid for 3 years. The FWC must be renewed within 60 days before the card expires.

Restrictions/Exclusion of Ill Food Workers
Healthy food workers are important factors in foodborne illness prevention. Food workers must inform the PIC if they have:
<ul style="list-style-type: none"> • Symptoms including diarrhea, vomiting, or jaundice. • A diagnosed illness from <i>Salmonella</i> Typhi, <i>Shigella</i>, Shiga toxin-producing <i>E. coli</i>, or hepatitis A. • A diagnosed illness from Norovirus or any <i>Salmonella</i>, if serving a highly susceptible population. • Infected, uncovered wounds. • Discharges from the eyes, nose, or mouth (persistent sneezing, coughing, or runny nose). • Sore throat with fever.
The PIC must restrict or exclude food workers with these conditions.

Notification
The PIC must notify the Regulatory Authority if a food worker has jaundice or a diagnosed illness that can be transmitted through food.

Handwashing and Preventing Bare Hand Contact
Handwashing must take at least 20 seconds, and include a 10-15 second scrub, a thorough rinse, and a complete drying of the hands.
Bare hand contact with ready-to-eat foods is prohibited. Single-use gloves, tongs, utensils, or other approved methods must be used when handling ready-to-eat foods.

Imminent Health Hazards
A food establishment must immediately stop operations and notify the Regulatory Authority if an imminent health hazard may exist due to:
<ul style="list-style-type: none"> • Foodborne illness outbreak • Fire • Flood • Loss of electricity • Lack of hot water or loss of water service • Sewage backup • Misuse of toxic or poisonous materials • Any circumstance that may endanger public health