

ГС	ou Establi	siiiieiit iiisp	ection Repor	·		rage	e 1 01 <del>4</del>	•					1895	aeamanana 	2000000000000	
Skagit County Public Health 700 South 2 <sup>nd</sup> Street, #301, Mount Vernon WA 98273 Phone: (360) 416-1500 e-mail: EH@co.skagit.wa.us								Washington He	State Dep <b>artment o</b> Palth							
	, ,		line: <u>www.foodw</u>		wa.us						aoji@y	ahoo.com				
NAN	ME OF ESTABLISH	 HMENT		ADDF	RESS OF	R LOCA	TION			1		CITY				
Lit	tle Thailanc	Thai		702	Metcalf St. Suite B						,	Sedro-Woolley				
	ALS SERVED	□B ■L ■D	PURPOSE OF	■ Routine		ration		operatio	nal ☐ Reins ☐ Comp		ESTABLISH		RISK	CATEG	ORY	
ME.	ALS OBS.	□B ■L □D TIME IN	INSPECTION ELAPSED TIME	Other:		·	ED POINTS		REPEAT RED		Smail	Food 3				
		1:30	1:10	18	MINIO		5	5	REPEAT RED			FHONE				
						R	ED H @	HRIS	FACTORS							
		= In Compliance	sk Factors are impro OUT = Not In Con		N/O =	Not O	bserved	N/A =	Not Applicable	CDI = C		foodborne illness or injury. ring Inspection      R = Repea	t Viola		,	
# Dec	Compliance Stat nonstration o	us f Knowledge			CDI	R	PTS	# 200	Compliance State  entially Hazaro	tus Ious Food	d Time and	Temperature		CDI	R	PTS
1	IN		by accredited prog vith Code, or corre				NA	16	IN		per cooling p					NA
2	IN	Food Worker	Cards current for	all food		П	NA			Pror	er hot holdi	ng temperatures			_	
Bm	ployee Health		/ food workers trair	nea				17	IN		ts if 130°F to			ш	ш	NA
3	IN	Proper ill wor	rker and conditiona actices; no ill worke				NA	18	IN			time and temperature;				NA
		present: pror	er reporting of illne	ess					""			oncontinuous cooking				100
			nds					19	IN	time	as a contro					NA
4	N/O		ed as required ers used to prevent	hare hand	ᆜ	ᆜ	NA	20	N/A			g procedures for hot holding ling temperatures		Щ		NA
5	IN		ready-to-eat foods		Ш	Ш	NA	21	OUT-5pts	(5 pt	ts if 42°F to	45°F)		Ш	Ш	5
6	OUT-10pts		ndwashing facilitie				10	22	IN	eval	uate tnerme uate tempe	ometer provided and used to ature of PHFs	,			NA
A01	proved Source IN		ot Adulterated ed from approved s				NA		sumer Adviso		er Consum	er Advisory posted for raw c	nr			
8	IN	Water supply	, ice from approve	d source			NA	23	IN	unde	ercooked fo	ods		Ш	ш	NA
9	IN		ing of fruits and ve l condition, safe an		片	믬	NA		hly Susceptibl				********			
10	IN		d; approved additiv			ш	NA	24	IN		teurizea 100 Is not offere	ds used as required; prohibi d	tea			NA
11	IN		sition of returned, p fe, or contaminated				NA	Che	mical							
12	N/A	Proper shells	stock ID; wild mush	room ID;	П		NA	25	IN	Toxi used		es properly identified, stored	,			NA
Rio	tection from (	parasile desi Cross Contamina	ruction procedures tron	s for fish				Cor	formance wit	n Approve	ed Procedu	res				
13		Food contact	surfaces and uten				NA	26	IN			n risk control plan, variance, n: valid permit: approved				NA
		sanitized; no	cross contamination	on	_					proc	edures for r	noncontinuous cooking ed for specialized processin	-			
14	IN	eat food; species separated			Ш	NA	27	N/A	metl	nods (e.g., F					NA	
15 IN Proper handling of pooled eggs				NA						F	Red Po	oints	15			
			ow Risk Factors are	preventive					CFACTORS  n of pathogens.	chemicals.	and physica	objects into foods.				
Food Temperature Control				PTS	Ute	nsils and Equi	pment				IN/OUT	R	PTS			
28 Food received at proper temperature				NA	40	cleanable	ntood sun	aces prope	rly used and constructed;				NA			
29 Adequate equipment for temperature control				NA	41	Warewashin strips availal			stalled, maintained, used; te	st			NA			
30 Proper thawing methods used				NA	42	Food-contac	t surfaces	maintained	, cleaned, sanitized				NA			
31	d Identification						NA	43	Nonfood-cor sical Facilities	tact surfac	ces maintair	ned and clean			Ш	NA
Pic	tection from C	Contamination					INA	44	Plumbing pre			and maintained; proper	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	***************************************	·····	NA
32	Insects, rode	nts, animals not p	resent; entrance co				NA	44				no cross-connections				117
33		l contamination pr storage, display	evented during de	пvегу,			NA	45	Sewage, wa	stewater p	roperly disp	osed				NA
34	<del>-</del>	properly used, steaminess and hygi	ored; proper sanitiz	zer			NA NA	46 47				d, supplied, cleaned d; facilities maintained			닏	NA NA
36		, tasting, drinking				H	NA NA	48	Physical faci	lities prope	erly installed	d, maintained, cleaned;			H	NA NA
	per Use of Uto		, or tobacco use					49				m establishment gnated areas used			H	NA NA
37		s properly stored					NA	50			×	ment name easily visible			Ħ	NA NA
38 Utensils, equipment, linens properly stored, used, handle		OUT		3						1	llue P	oints	3			
39	Single-use ar	nd single-service a	articles properly sto	ored, used			NA			Use th	e following	blank lines to write commen	ts.			
	on In Charge	Poiso			Person	In Cha	arge <b>P</b> 2	avao	Jivarapo	ona		<sub>Date</sub> 1-2-2018				
J	ature) llatory Authority				Regula	itory A			Zimme			Follow-up Needed?		Yes	1	No
	aturé)		X- Zandara		(Print N	lame)	٠ ر			mall			<u> </u>	1 . 22	4	ı

Internal Cooking Temperatures					
135°F	Plant foods for hot holding				
	Unpasteurized eggs				
	Fish, except as listed below				
145°F for 15 seconds	Meat, except as listed below				
	Pork, except as listed below				
	Commercially raised game animals, rabbits				
	Ground or comminuted meats or fish				
155°F for 15 seconds	Injected or mechanically tenderized meats				
155 F for 15 seconds	Ratites (ostrich, rhea, emu)				
	Pooled eggs when allowed				
	Poultry				
165°F for 15 seconds	Stuffed foods including: fish, meat, pasta, poultry				
	Stuffing containing fish, meat, or poultry				
	Wild game animals				
WAC 246-215-03400(2)	Whole meat roasts; ham				
Holding Temperatures	41°F or less; 135°F or greater				

### Cooling

Cool foods in shallow pans with a food depth of 2 inches or less, uncovered, refrigerated at 41°F, and protected from contamination.

#### OR

Cool foods from 135°F to 70°F within 2 hours

#### and

Cool foods to 41°F within a total of 6 hours or less.

Use the following cooling options:

- Rapid cooling equipment
- Ice bath
- Other methods that meet the time temperature criteria

	Abbreviations
BHC	Bare Hand Contact
FWC	Food Worker Card
PHF	Potentially Hazardous Food
PIC	Person in Charge
ROP	Reduced Oxygen Packaging

### Handwashing and Preventing Bare Hand Contact

Handwashing must take at least 20 seconds, and include a 10-15 second scrub, a thorough rinse, and a complete drying of the hands.

Bare hand contact with ready-to-eat foods is prohibited. Single-use gloves, tongs, utensils, or other approved methods must be used when handling ready-to-eat foods.

References			
Chapter 246-215 Washington Administrative Code (WAC)			
Chapter 246-217 Washington Administrative Code (WAC)			
Chapter 69.06 Revised Code of Washington (RCW)			
2009 FDA Food Code			
www.foodworkercard.wa.gov (Website for Food Worker Cards)			

### **Food Safety Training Requirement**

All food workers must have a valid Washington FWC and copies must be available upon request.

New employees without valid FWCs must be given food safety training before beginning food handling duties. The training must be documented and kept onsite. Food workers must have a FWC within 14 calendar days of hire.

Initial FWCs are valid for 2 years and renewal cards are valid for 3 years. The FWC must be renewed within 60 days before the card expires.

#### Restrictions/Exclusion of III Food Workers

Healthy food workers are important factors in foodborne illness prevention. Food workers must inform the PIC if they have:

- Symptoms including diarrhea, vomiting, or jaundice.
- A diagnosed illness from Salmonella Typhi, Shigella, Shiga toxin-producing E. coli, or hepatitis A.
- A diagnosed illness from Norovirus or any Salmonella, if serving a highly susceptible population.
- Infected, uncovered wounds.
- **Discharges** from the eyes, nose, or mouth (persistent sneezing, coughing, or runny nose).
- Sore throat with fever.

The PIC must restrict or exclude food workers with these conditions.

#### **Notification**

The PIC must notify the Regulatory Authority if a food worker has jaundice or a diagnosed illness that can be transmitted through food.

# **Potentially Hazardous Foods**

Potentially Hazardous Foods require time and temperature control for safety.

PHFs include:

#### **Animal Products**

- Meat, fish, poultry, seafood, eggs
- Dairy products

### **Cooked Starches**

Cooked rice, beans, pasta, potatoes

### Fruits and Vegetables

- Cooked vegetables
- Tofu
- Sprouts (such as alfalfa or bean sprouts)
- Cut melons
- Cut leafy greens\*
- Cut tomatoes\*

\*New PHF in 2013

### **Imminent Health Hazards**

A food establishment must immediately stop operations and notify the Regulatory Authority if an imminent health hazard may exist due to:

- Foodborne illness outbreak
- Fire
- Flood
- Loss of electricity
- Lack of hot water or loss of water service
- Sewage backup
- Misuse of toxic or poisonous materials
- Any circumstance that may endanger public health

/	
(Z)	Washington State Department
	Health

Skagit County Public Health	pedion Report	1 age o or 4				Wiedingson State Department Health
700 South 2nd Street, #301, N Phone: (360) 416-1500 e-ma Obtain Food Worker Cards on	ail: EH@co.skagit.wa.us	wa.gov		payaoji@	yahoo.com	M911cuiii
NAME OF ESTABLISHMENT Little Thailand Thai		s or location  Metcalf St. Sui			Sedro-Woolley	
	Proj. proj	□ Preoper		ection ESTABLI	SHMENT TYPE	RISK CATEGORY
MEALS SERVED B L D  MEALS OBSERVED B L D		estigation			all Food 3	
DATE TIME IN	ELAPSED TIME TOTAL POINT		REPEAT RED		PHONE	
1-2-2018 1:30	1:10 18	15	E OBSERVATIONS			
		Temp				Temp
Cut cabbage (3)	Location Prep Bin/lower frid	dge All 43°	Fo	od	Location	(°F)
Raw Chicken	Prep bin	41°				
Cooked Rice		175°				
	Rice warmer					
Cooked chicken	Out of Wok/styrofoam co					
Tofu	Prep bin	43°				
Cut Tomatoes	Prep bin	44	CORRECTIVE ACTIO	N.S.		
	Violations cited i	n this report must			mes specified	
Winter of Administra	.00	•	DC COTTCGECG WIE		mes specifica.	
	andwashing facilities	10 pts				
	shing sink is blocked by sr					
	ure hand washing sink is a	ccessible				
By Date: 1-3-2018						
Violation 21-5 Proper co	ا 5 (42-45) اطاط holding,	pts				
Observations: Several it	ems above 41° in prep bin	s				
Correction needed: Ensu	ıre all PHFs are held at les	s than 41° operato	r turned temp do	wn on unit and	I moved items so they v	were cooled easily
By Date: 1-3-2018						
Observations: Utensil st	torage					
	coops not stored properly	. Place in a clean s	storage area			
By Date: 1-3-2018			J			
Observations:						
Correction needed:				***************************************		
By Date:						
Observations:						
Correction needed:						
By Date:						
Comments						
Person In Charge	inger) Pe	erson In Charge Paya	ao Jivarano	na	Date 1-2-2018	
(Signature)  Regulatory Authority					Follow-up Needed?	
(Signature)	The P	egulatory Authority <b>Ste</b> Print Name)	ve Zimmer	ıııdıl	Follow-up Needed?	Yes ✓ No

Red	, High Risk Factors	Pts				
1	PIC certified by accredited program, or compliance with Code, or correct	5				
'	answers	5				
2	Food Worker Cards current for all food workers; new food workers trained	5				
3	Proper ill worker and conditional employee practices; no ill workers present;					
ა	proper reporting of illness					
4	Hands washed as required	25				
5	Proper barriers used to prevent bare hand contact with ready-to-eat foods	25				
6	Adequate handwashing facilities	10				
7	Food obtained from approved source					
8	Water supply, ice from approved source	15				
9	Proper washing of fruits and vegetables	10				
10	Food in good condition, safe and unadulterated; approved additives	10				
11	Proper disposition of returned, previously served, unsafe, or contaminated food	10				
12	Proper shellstock ID; wild mushroom ID; parasite destruction procedures for fish	5				
	Food contact surfaces and utensils used for raw meat thoroughly cleaned					
13	and sanitized; no cross contamination	15				
14	Raw meats below or away from ready-to-eat food; species separated	5				
15	Proper handling of pooled eggs	5				
16	Proper cooling procedures	25				
	Proper hot holding temperatures	25				
17	(5 pts if 130°F to 134°F)	(5)				
18	Proper cooking time and temperature, proper use of noncontinuous cooking	25				
19	No room temperature storage; proper use of time as a control	25				
20	Proper reheating procedures for hot holding	15				
	Proper cold holding temperatures	10				
21	(5 pts if 42°F to 45°F)	(5)				
22	Accurate thermometer provided and used to evaluate temperature of PHF	5				
23	Proper Consumer Advisory posted for raw or undercooked foods	5				
24	Pasteurized foods used as required; prohibited foods not offered	10				
25	Toxic substances properly identified, stored, used	10				
200	Compliance with risk control plan, variance, plan of operation; valid permit;	n; valid permit;				
26	approved procedures for noncontinuous cooking	10				
27	Variance obtained for specialized processing methods (e.g., ROP)	10				

Blue	e, Low Risk Factors	Pts
28	Food received at proper temperature	5
29	Adequate equipment for temperature control	5
30	Proper thawing methods used	3
31	Food properly labeled d Identification	5
32	Insects, rodents, animals not present; entrance controlled	5
33	Potential food contamination prevented during delivery, preparation, storage, display	5
34	Wiping cloths properly used, stored, proper sanitizer	5
35	Employee cleanliness and hygiene	3
36	Proper eating, tasting, drinking, or tobacco use	3
37	In-use utensils properly stored	3
38	Utensils, equipment, linens properly stored, used, handled	3
39	Single-use and single-service articles properly stored, used	3
40	Food and nonfood surfaces properly used and constructed; cleanable	5
41	Warewashing facilities properly installed, maintained, used; test strips available and used	5
42	Food-contact surfaces maintained, cleaned, sanitized	5
43	Nonfood-contact surfaces maintained and clean	3
44	Plumbing properly sized, installed, and maintained; proper backflow devices, indirect drains; no cross-connections	5
45	Sewage, wastewater properly disposed	5
46	Toilet facilities properly constructed, supplied, cleaned	3
47	Garbage, refuse properly disposed; facilities maintained	3
48	Physical facilities properly installed, maintained, cleaned; unnecessary persons excluded from establishment	2
49	Adequate ventilation, lighting; designated areas used	2
50	Posting of permit; mobile establishment name easily visible	2

	<b>Abbreviations</b>
внс	Bare Hand Contact
FWC	Food Worker Card
PHF	Potentially Hazardous Food
PIC	Person in Charge
ROP	Reduced Oxygen Packaging

References					
Chapter 246-215 Washington Administrative Code (WAC)					
Chapter 246-217 Washington Administrative Code (WAC)					
Chapter 69.06 Revised Code of Washington (RCW)					
2009 FDA Food Code					
www.foodworkercard.wa.gov (Website for Food Worker Cards)					

### **Food Safety Training Requirement**

All food workers must have a valid Washington FWC and copies must be available upon request.

New employees without valid FWCs must be given food safety training before beginning food handling duties. The training must be documented and kept onsite. Food workers must have a FWC within 14 calendar days of hire.

Initial FWCs are valid for 2 years and renewal cards are valid for 3 years. The FWC must be renewed within 60 days before the card expires.

### Restrictions/Exclusion of III Food Workers

Healthy food workers are important factors in foodborne illness prevention. Food workers must inform the PIC if they have:

- Symptoms including diarrhea, vomiting, or jaundice.
- A diagnosed illness from Salmonella Typhi, Shigella, Shiga toxin-producing *E. coli*, or hepatitis A.
- A diagnosed illness from Norovirus or any Salmonella, if serving a highly susceptible population.
- Infected, uncovered wounds.
- Discharges from the eyes, nose, or mouth (persistent sneezing, coughing, or runny nose).
- Sore throat with fever.

The PIC must restrict or exclude food workers with these conditions.

## Notification

The PIC must notify the Regulatory Authority if a food worker has jaundice or a diagnosed illness that can be transmitted through food.

## Handwashing and Preventing Bare Hand Contact

Handwashing must take at least 20 seconds, and include a 10-15 second scrub, a thorough rinse, and a complete drying of the hands.

Bare hand contact with ready-to-eat foods is prohibited. Single-use gloves, tongs, utensils, or other approved methods must be used when handling ready-to-eat foods.

#### **Imminent Health Hazards**

A food establishment must immediately stop operations and notify the Regulatory Authority if an imminent health hazard may exist due to:

- Foodborne illness outbreak
- Fire
- Flood
- Loss of electricity
- Lack of hot water or loss of water service
- Sewage backup
- Misuse of toxic or poisonous materials
- Any circumstance that may endanger public health