0			
	ear	<b>Form</b>	

13	Skagit County Public Health 700 South 2 <sup>nd</sup> Street, #301, Mount Vernon WA 98273 Phone: (360) 416-1500 e-mail: EH@co.skagit.wa.us Obtain Food Worker Cards on-line: www.foodworkercard.wa.us					a State Department of Palth									
					RESS OR LOCATION						CITY				
	pez Island Cr		■ D-	11th & (	J AV		enne	eration	nal 🔲 Reinsp	ection	ESTABLISHMENT TY	cortes PE	RISK CAT	EGORY	
200000		]B □L □D ]B □L □D		ess Inves	stigatio				Compla		Mobile - L	imited			
DAT		IE IN	ELAPSED TIME TOTAL	AL POINTS		RED POIN	TS		REPEAT RED		PHON	IE			
06/	22/2018 1:3	30	25 <b>5</b>				СПІ	DICK	FACTORS						
	INI — I		sk Factors are improper pra		oroced	ures ident	ified	as the	most prevalent				4 \ 7: = 1 = 4: = =		
	Compliance Status	n Compliance	OUT = Not In Complianc			Observed PTS		#	Not Applicable Compliance State	us	Corrected During Ins		CE	l R	PTS
	ionstration of K IN	PIC certified	by accredited program, o		1	NA		16	N/A		d Time and Tempe per cooling procedu			1 -	NA
	IN		vith Code, or correct answ Cards current for all food		1 -	-	+	-					' -	11.7	
	lovee Health	workers; new	r food workers trained		J   L	NA		17	N/A		per hot holding tem ts if 130°F to 134°F				NA
	noyee ricular		rker and conditional	Te		1		40		Prot	per cooking time an	d temperature:		. –	1
3		present; prop	actices; no ill workers per reporting of illness		1  -	NA		18	N/A	prop	er use of noncontir	nuous cooking		<u> </u>	NA
	enting Contami							19	IN		oom temperature s ·as a control	torage; proper use o	f   🗆		NA
4	IN		ed as required	<u> </u>	1   _	NA		20	N/A			dures for hot holding			NA
5	IN		ers used to prevent bare h ready-to-eat foods			NA		21	IN	(5 p	per cold holding ten ts if 42°F to 45°F)				NA
	IN		ndwashing facilities			NA		22	IN		urate thermometer uate temperature o	provided and used to f PHFs	,   [		NA
	roved Source, V IN		ot Adulterated ed from approved source		1	NA		Con	sumer Advisor		or Consumor Advi	sory posted for raw o	, _		
$\rightarrow$	IN		, ice from approved sour	се		NA		23	N/A		ercooked foods	sory posted for raw c	"   [		NA
	N/A		ing of fruits and vegetable I condition, safe and	es _		NA		High	nly Susceptible		0.000.000				
10	IN		d; approved additives	ᆜᄂ	1	NA		24	N/A		teurized foods used Is not offered	l as required; prohibi	ted   $\square$		NA
11	IN		sition of returned, previou fe, or contaminated food	isly _	]	NA		Che	mical						
12	N/A	Proper shells	stock ID; wild mushroom I		1 -	1 NA	-	25	IN	Toxi		erly identified, stored	·   [	] [	NA
	ection from Cro		ruction procedures for fis tion	h				Con	formance with						
13	NIA		t surfaces and utensils us thoroughly cleaned and	ed	1 -	NA NA		26	IN		npliance with risk co of operation; valid	ontrol plan, variance,		1 –	l NA
	N/A	sanitized; no	cross contamination						IIN	procedures for noncontinuous cooking			IVA		
14	N/A		elow or away from ready cies separated	-to- <u></u>		NA		27	N/A	Variance obtained for specialized processing methods (e.g., ROP)			NA		
15	N/A Proper handling of pooled eggs					s 0									
		1	ow Risk Factors are preve	ntive meas					FACTORS	hemicals	and physical objects	into foods			
Foo	d Temperature (			IN/O					nsils and Equip	ment			IN/O	UT R	PTS
28	Food received a	t proper tempe	rature			NA		40	Food and non cleanable	itood surl	aces properly used	and constructed;			NA
29	Adequate equip	ment for tempe	rature control			NA		41	Warewashing strips available			maintained, used; te	st		NA
30 Proper thawing methods used					NA		42	-		maintained, cleane	ed, sanitized			NA	
Food Identification 31 Food properly labeled				NA		43 Phys	Nonfood-conta	act surfa	ces maintained and	clean			NA		
	ection from Cor							ттіу	1	perly size	d, installed, and ma	intained; proper			NA
32			resent; entrance controlle	ed		NA	]				ect drains; no cross				INA
33	preparation, sto		revented during delivery,			NA		45	Sewage, wast	tewater p	roperly disposed				NA
34	100 No. 100	207 0000 8	ored; proper sanitizer	OU.		5 NA	-	46	Toilet facilities properly constructed, supplied, cleaned			•			
35 36	Employee clean Proper eating, ta					NA NA	+	Physical facilities properly installed maintained cleaned:			NA NA				
	per Use of Utens		, or tobacco use			10-4		49			excluded from estal			_ <u></u> _	NA
37		Jtensils     49     Adequate ventilation, lighting; designated areas used     NA       sils properly stored     NA     50     Posting of permit; mobile establishment name easily visible     NA													
38	Utensils, equipm	nent, linens pro	perly stored, used, handl	e		NA							Blue	Point	<b>5</b>
39	Single-use and	single-service a	articles properly stored, u	sed		NA				Use th	e following blank li	nes to write commen	ts.		
	Provide inspe	ection repor	t to PIC via:	E-mail			] <sub>Pa</sub>	ner i	conv						
-	00/00/0040														
						ION			<u> </u>		1				
Regu (Sign:	latory Authority	11 1		Reg  (Prir	ulatory it Name	Autnority	VIE	att P	Kaufman		Follow	-up Needed?	LY€	s 🗸	No

Internal Cooking Temperatures				
135°F	Plant foods for hot holding			
	Unpasteurized eggs			
	Fish, except as listed below			
145°F for 15 seconds	Meat, except as listed below			
	Pork, except as listed below			
	Commercially raised game animals, rabbits			
	Ground or comminuted meats or fish			
155°F for 15 seconds	Injected or mechanically tenderized meats			
155°F for 15 seconds	Ratites (ostrich, rhea, emu)			
	Pooled eggs when allowed			
	Poultry			
165°F for 15 seconds	Stuffed foods including: fish, meat, pasta, poultry			
	Stuffing containing fish, meat, or poultry			
	Wild game animals			
WAC 246-215-03400(2)	Whole meat roasts; ham			
Holding Temperatures	41°F or less; 135°F or greater			

## Cooling

Cool foods in shallow pans with a food depth of 2 inches or less, uncovered, refrigerated at 41°F, and protected from contamination.

#### OR

Cool foods from 135°F to 70°F within 2 hours

#### and

Cool foods to 41°F within a total of 6 hours or less.

Use the following cooling options:

- Rapid cooling equipment
- Ice bath
- Other methods that meet the time temperature criteria

Abbreviations			
BHC	Bare Hand Contact		
FWC	Food Worker Card		
PHF	Potentially Hazardous Food		
PIC	Person in Charge		
ROP	Reduced Oxygen Packaging		

# Handwashing and Preventing Bare Hand Contact

Handwashing must take at least 20 seconds, and include a 10-15 second scrub, a thorough rinse, and a complete drying of the hands.

Bare hand contact with ready-to-eat foods is prohibited. Single-use gloves, tongs, utensils, or other approved methods must be used when handling ready-to-eat foods.

References
Chapter 246-215 Washington Administrative Code (WAC)
Chapter 246-217 Washington Administrative Code (WAC)
Chapter 69.06 Revised Code of Washington (RCW)
2009 FDA Food Code
www.foodworkercard.wa.gov (Website for Food Worker Cards)

## **Food Safety Training Requirement**

All food workers must have a valid Washington FWC and copies must be available upon request.

New employees without valid FWCs must be given food safety training before beginning food handling duties. The training must be documented and kept onsite. Food workers must have a FWC within 14 calendar days of hire.

Initial FWCs are valid for 2 years and renewal cards are valid for 3 years. The FWC must be renewed within 60 days before the card expires.

#### Restrictions/Exclusion of III Food Workers

Healthy food workers are important factors in foodborne illness prevention. Food workers must inform the PIC if they have:

- Symptoms including diarrhea, vomiting, or jaundice.
- A diagnosed illness from Salmonella Typhi, Shigella, Shiga toxin-producing E. coli, or hepatitis A.
- A diagnosed illness from Norovirus or any Salmonella, if serving a highly susceptible population.
- Infected, uncovered wounds.
- **Discharges** from the eyes, nose, or mouth (persistent sneezing, coughing, or runny nose).
- Sore throat with fever.

The PIC must restrict or exclude food workers with these conditions.

## **Notification**

The PIC must notify the Regulatory Authority if a food worker has jaundice or a diagnosed illness that can be transmitted through food.

## **Potentially Hazardous Foods**

Potentially Hazardous Foods require time and temperature control for safety.

PHFs include:

#### **Animal Products**

- Meat, fish, poultry, seafood, eggs
- Dairy products

## **Cooked Starches**

Cooked rice, beans, pasta, potatoes

## Fruits and Vegetables

- Cooked vegetables
- Tofu
- Sprouts (such as alfalfa or bean sprouts)
- Cut melons
- Cut leafy greens\*
- Cut tomatoes\*

\*New PHF in 2013

## **Imminent Health Hazards**

A food establishment must immediately stop operations and notify the Regulatory Authority if an imminent health hazard may exist due to:

- Foodborne illness outbreak
- Fire
- Flood
- Loss of electricity
- Lack of hot water or loss of water service
- Sewage backup
- Misuse of toxic or poisonous materials
- Any circumstance that may endanger public health

Skagit County Public Health 700 South 2nd Street, #301, Mount Vernon, WA 98273 Phone: (360) 416-1500 e-mail: EH@co.skagit.wa.us Obtain Food Worker Cards on-line: www.foodworkercard.wa.gov  NAME OF ESTABLISHMENT Lopez Island Creamery    ADDRESS OR LOCATION   Thinks   Preoperational   Reinspection   Reinspection   Reinspection   Reinspection   Reinspection   Reinspection   Reinspection   Reinspection   Reinspection   Repeated   Reinspection   Reinspection   Repeated   Reinspection   Reinspection   Repeated   Reinspection   Reinspecti
Phone: (360) 416-1500 e-mail: EH@co.skagit.wa.us Obtain Food Worker Cards on-line: www.foodworkercard.wa.gov  NAME OF ESTABLISHMENT Lopez Island Creamery  MEALS SERVED B L D PURPOSE OF Routine
ADDRESS OR LOCATION LOPEZ Island Creamery    MEALS SERVED
Lopez Island Creamery  MEALS SERVED  MEALS SERVED  MEALS OBSERVED  MObile - Limited  Mobile
MEALS OBSERVED B L D INSPECTION Illiness Investigation Temporary Complaint Mobile - Limited  MEALS OBSERVED B L D INSPECTION Illiness Investigation Temporary Complaint Mobile - Limited
MEALS OBSERVED B L D INSPECTION Other:  DATE TIME IN 06/22/2018 1:30  ELAPSED TIME TOTAL POINTS RED POINTS OF TEMPERATURE OBSERVATIONS  TEMPERATURE OBSERVATIONS  Temp (°F)  Food Location (°F)  OBSERVATIONS AND CORRECTIVE ACTIONS
1:30   25   5   0
Food Location (°F) Food Location (°F)  Solution (°F) Food Location (°F)  Solution
Food Location (°F) Food Location (°F)  OBSERVATIONS AND CORRECTIVE ACTIONS
Violations cited in this report must be corrected within the time frames specified.
Violation 34 Wiping cloths properly used, stored 5 pts
Observations: No sanitizer or wiping cloths present. Quat ammonia present but not mixed into solution
Correction needed: Approved sanitizer with wiping cloths needed during all hours of operation, must have test strips to verify strength of
By Date: 6/22/18
Observations:
Correction needed: By Date:
by Date.
Observations:
Correction needed:
By Date:
Observations:
Correction needed:
By Date:
Observations:
Correction needed:
By Date:
Potentially Hazardous Food Temperature Compliance Action - According to time and temperature for safety
In compliance PHF reheated to PHF cooled to Observed PHF No action 165F - List foods: Observed PHF 41F - List foods: destruction - List:
Comments destruction List.
Person In Charge Signature)  Person In Charge Sarah mccormack  (Print Name)  Person In Charge Sarah mccormack  (Print Name)
Regulatory Authority Signature)  Regulatory Authority Matt Kaufman (Print Name)  Follow-up Needed?  Yes V No

Red	High Risk Factors	Pts
1	PIC certified by accredited program, or compliance with Code, or correct	5
'	answers	5
2	Food Worker Cards current for all food workers; new food workers trained	5
3	Proper ill worker and conditional employee practices; no ill workers present;	25
J	proper reporting of illness	
4	Hands washed as required	25
5	Proper barriers used to prevent bare hand contact with ready-to-eat foods	25
6	Adequate handwashing facilities	10
7	Food obtained from approved source	15
8	Water supply, ice from approved source	
9	Proper washing of fruits and vegetables	10
10	Food in good condition, safe and unadulterated; approved additives	10
11	Proper disposition of returned, previously served, unsafe, or contaminated	10
11	food	10
12	Proper shellstock ID; wild mushroom ID; parasite destruction procedures for	5
12	fish	3
13	Food contact surfaces and utensils used for raw meat thoroughly cleaned	15
	and sanitized; no cross contamination	
14	Raw meats below or away from ready-to-eat food; species separated	5
15	Proper handling of pooled eggs	5
16	Proper cooling procedures	25
17	Proper hot holding temperatures	25
	(5 pts if 130°F to 134°F)	(5)
18	Proper cooking time and temperature, proper use of noncontinuous cooking	25
19	No room temperature storage; proper use of time as a control	25
20	Proper reheating procedures for hot holding	15
21	Proper cold holding temperatures	10
11777	(5 pts if 42°F to 45°F)	(5)
22	Accurate thermometer provided and used to evaluate temperature of PHF	5
23	Proper Consumer Advisory posted for raw or undercooked foods	5
24	Pasteurized foods used as required; prohibited foods not offered	10
25	Toxic substances properly identified, stored, used	10
26	Compliance with risk control plan, variance, plan of operation; valid permit;	10
	approved procedures for noncontinuous cooking	
27	Variance obtained for specialized processing methods (e.g., ROP)	10

Blue	e, Low Risk Factors	Pts
28	Food received at proper temperature	5
29	Adequate equipment for temperature control	5
30	Proper thawing methods used	3
31	Food properly labeled d Identification	5
32	Insects, rodents, animals not present; entrance controlled	5
33	Potential food contamination prevented during delivery, preparation, storage, display	5
34	Wiping cloths properly used, stored; proper sanitizer	5
35	Employee cleanliness and hygiene	3
36	Proper eating, tasting, drinking, or tobacco use	3
37	In-use utensils properly stored	3
38	Utensils, equipment, linens properly stored, used, handled	3
39	Single-use and single-service articles properly stored, used	3
40	Food and nonfood surfaces properly used and constructed; cleanable	5
41	Warewashing facilities properly installed, maintained, used; test strips available and used	5
42	Food-contact surfaces maintained, cleaned, sanitized	5
43	Nonfood-contact surfaces maintained and clean	3
44	Plumbing properly sized, installed, and maintained; proper backflow devices, indirect drains; no cross-connections	5
45	Sewage, wastewater properly disposed	5
46	Toilet facilities properly constructed, supplied, cleaned	3
47	Garbage, refuse properly disposed; facilities maintained	3
48	Physical facilities properly installed, maintained, cleaned; unnecessary persons excluded from establishment	2
49	Adequate ventilation, lighting; designated areas used	2
50	Posting of permit; mobile establishment name easily visible	2

Abbreviations		
BHC	Bare Hand Contact	
FWC	Food Worker Card	
PHF	Potentially Hazardous Food	
PIC	Person in Charge	
ROP	Reduced Oxygen Packaging	

References
Chapter 246-215 Washington Administrative Code (WAC)
Chapter 246-217 Washington Administrative Code (WAC)
Chapter 69.06 Revised Code of Washington (RCW)
2009 FDA Food Code
www.foodworkercard.wa.gov (Website for Food Worker Cards)

## **Food Safety Training Requirement**

All food workers must have a valid Washington FWC and copies must be available upon request.

New employees without valid FWCs must be given food safety training before beginning food handling duties. The training must be documented and kept onsite. Food workers must have a FWC within 14 calendar days of hire.

Initial FWCs are valid for 2 years and renewal cards are valid for 3 years. The FWC must be renewed within 60 days before the card expires.

# Restrictions/Exclusion of III Food Workers

Healthy food workers are important factors in foodborne illness prevention. Food workers must inform the PIC if they have:

- **Symptoms** including diarrhea, vomiting, or jaundice.
- A diagnosed illness from Salmonella Typhi, Shigella, Shiga toxin-producing *E. coli*, or hepatitis A.
- A diagnosed illness from Norovirus or any Salmonella, if serving a highly susceptible population.
- Infected, uncovered wounds.
- Discharges from the eyes, nose, or mouth (persistent sneezing, coughing, or runny nose).
- Sore throat with fever.

The PIC must restrict or exclude food workers with these conditions.

## Notification

The PIC must notify the Regulatory Authority if a food worker has jaundice or a diagnosed illness that can be transmitted through food.

# Handwashing and Preventing Bare Hand Contact

Handwashing must take at least 20 seconds, and include a 10-15 second scrub, a thorough rinse, and a complete drying of the hands.

Bare hand contact with ready-to-eat foods is prohibited. Single-use gloves, tongs, utensils, or other approved methods must be used when handling ready-to-eat foods.

## **Imminent Health Hazards**

A food establishment must immediately stop operations and notify the Regulatory Authority if an imminent health hazard may exist due to:

- Foodborne illness outbreak
- Fire
- Flood
- Loss of electricity
- Lack of hot water or loss of water service
- Sewage backup
- Misuse of toxic or poisonous materials
- Any circumstance that may endanger public health