



Skagit County Public Health
 700 South 2nd Street, #301, Mount Vernon WA 98273
 Phone: (360) 416-1500 e-mail: EH@co.skagit.wa.us
 Obtain Food Worker Cards on-line: www.foodworkercard.wa.us

EMAIL

NAME OF ESTABLISHMENT Tweets		ADDRESS OR LOCATION 5800 Cains Court			CITY Edison	
MEALS SERVED <input type="checkbox"/> B <input type="checkbox"/> L <input type="checkbox"/> D	PURPOSE OF INSPECTION	<input checked="" type="checkbox"/> Routine	<input type="checkbox"/> Preoperational	<input type="checkbox"/> Reinspection	ESTABLISHMENT TYPE Small food 3	
MEALS OBS. <input type="checkbox"/> B <input type="checkbox"/> L <input type="checkbox"/> D		<input type="checkbox"/> Illness Investigation	<input type="checkbox"/> Temporary	<input type="checkbox"/> Complaint	RISK CATEGORY	
		<input type="checkbox"/> Other:				

DATE 02/16/2018	TIME IN 11:00	ELAPSED TIME 45	TOTAL POINTS 110	RED POINTS 110	REPEAT RED 25	PHONE
---------------------------	-------------------------	---------------------------	----------------------------	--------------------------	-------------------------	-------

RED HIGH RISK FACTORS

High Risk Factors are improper practices or procedures identified as the most prevalent contributing factors of foodborne illness or injury.
 IN = In Compliance OUT = Not In Compliance N/O = Not Observed N/A = Not Applicable CDI = Corrected During Inspection R = Repeat Violation

#	Compliance Status	CDI	R	PTS
Demonstration of Knowledge				
1	IN	<input type="checkbox"/>	<input type="checkbox"/>	NA
2	IN	<input type="checkbox"/>	<input type="checkbox"/>	NA
Employee Health				
3	IN	<input type="checkbox"/>	<input type="checkbox"/>	NA
Preventing Contamination by Hands				
4	IN	<input type="checkbox"/>	<input type="checkbox"/>	NA
5	IN	<input type="checkbox"/>	<input type="checkbox"/>	NA
6	IN	<input type="checkbox"/>	<input type="checkbox"/>	NA
Approved Source, Wholesome, Not Adulterated				
7	IN	<input type="checkbox"/>	<input type="checkbox"/>	NA
8	IN	<input type="checkbox"/>	<input type="checkbox"/>	NA
9	N/O	<input type="checkbox"/>	<input type="checkbox"/>	NA
10	IN	<input type="checkbox"/>	<input type="checkbox"/>	NA
11	IN	<input type="checkbox"/>	<input type="checkbox"/>	NA
12	N/A	<input type="checkbox"/>	<input type="checkbox"/>	NA
Protection from Cross Contamination				
13	IN	<input type="checkbox"/>	<input type="checkbox"/>	NA
14	IN	<input type="checkbox"/>	<input type="checkbox"/>	NA
15	IN	<input type="checkbox"/>	<input type="checkbox"/>	NA

#	Compliance Status	CDI	R	PTS
Potentially Hazardous Food Time and Temperature				
16	OUT-25pts	<input type="checkbox"/>	<input type="checkbox"/>	25
17	OUT-25pts	<input type="checkbox"/>	<input type="checkbox"/>	25
18	IN	<input type="checkbox"/>	<input type="checkbox"/>	NA
19	OUT-25pts	<input type="checkbox"/>	<input checked="" type="checkbox"/>	25
20	OUT-15pts	<input type="checkbox"/>	<input type="checkbox"/>	15
21	IN	<input type="checkbox"/>	<input type="checkbox"/>	10
22		<input type="checkbox"/>	<input type="checkbox"/>	NA
Consumer Advisory				
23	IN	<input type="checkbox"/>	<input type="checkbox"/>	NA
Highly Susceptible Populations				
24	N/A	<input type="checkbox"/>	<input type="checkbox"/>	NA
Chemical				
25	IN	<input type="checkbox"/>	<input type="checkbox"/>	NA
Conformance with Approved Procedures				
26	OUT-10pts	<input type="checkbox"/>	<input type="checkbox"/>	10
27	IN	<input type="checkbox"/>	<input type="checkbox"/>	NA

Red Points 110

BLUE LOW RISK FACTORS

Low Risk Factors are preventive measures to control the addition of pathogens, chemicals, and physical objects into foods.

	IN/OUT	R	PTS
Food Temperature Control			
28		<input type="checkbox"/>	NA
29		<input type="checkbox"/>	NA
30		<input type="checkbox"/>	NA
Food Identification			
31		<input type="checkbox"/>	NA
Protection from Contamination			
32		<input type="checkbox"/>	NA
33		<input type="checkbox"/>	NA
34		<input type="checkbox"/>	NA
35		<input type="checkbox"/>	NA
36		<input type="checkbox"/>	NA
Proper Use of Utensils			
37		<input type="checkbox"/>	NA
38		<input type="checkbox"/>	NA
39		<input type="checkbox"/>	NA

	IN/OUT	R	PTS
Utensils and Equipment			
40		<input type="checkbox"/>	NA
41		<input type="checkbox"/>	NA
42		<input type="checkbox"/>	NA
43		<input type="checkbox"/>	NA
Physical Facilities			
44		<input type="checkbox"/>	NA
45		<input type="checkbox"/>	NA
46		<input type="checkbox"/>	NA
47		<input type="checkbox"/>	NA
48		<input type="checkbox"/>	NA
49		<input type="checkbox"/>	NA
50		<input type="checkbox"/>	NA

Blue Points 0

Use the following blank lines to write comments.

Re-Inspection triggered by repeated red point violations and greater than 30 red points. In lieu of immediate permit suspension scheduled a meeting with SCPHD with plans on how these violations are going be prevented in the future, meeting must be prior to opening 2/23/18. Not allowed to open if meeting and compliance is achieved.

Person In Charge (Signature)	Person In Charge (Print Name) David Blakesley	Date 02/16/2018
Regulatory Authority (Signature)	Regulatory Authority (Print Name) Matt Kaufman	Follow-up Needed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Internal Cooking Temperatures	
135°F	Plant foods for hot holding
145°F for 15 seconds	Unpasteurized eggs
	Fish, except as listed below
	Meat, except as listed below
	Pork, except as listed below
155°F for 15 seconds	Commercially raised game animals, rabbits
	Ground or comminuted meats or fish
	Injected or mechanically tenderized meats
	Ratites (ostrich, rhea, emu)
165°F for 15 seconds	Pooled eggs when allowed
	Poultry
	Stuffed foods including: fish, meat, pasta, poultry
	Stuffing containing fish, meat, or poultry
WAC 246-215-03400(2)	Wild game animals
	Whole meat roasts; ham
Holding Temperatures	41°F or less; 135°F or greater

Cooling	
Cool foods in shallow pans with a food depth of 2 inches or less, uncovered, refrigerated at 41°F, and protected from contamination.	
OR	
Cool foods from 135°F to 70°F within 2 hours	
and	
Cool foods to 41°F within a total of 6 hours or less.	
Use the following cooling options:	
<ul style="list-style-type: none"> • Rapid cooling equipment • Ice bath • Other methods that meet the time temperature criteria 	

Abbreviations	
BHC	Bare Hand Contact
FWC	Food Worker Card
PHF	Potentially Hazardous Food
PIC	Person in Charge
ROP	Reduced Oxygen Packaging

Handwashing and Preventing Bare Hand Contact	
Handwashing must take at least 20 seconds, and include a 10-15 second scrub, a thorough rinse, and a complete drying of the hands.	
Bare hand contact with ready-to-eat foods is prohibited. Single-use gloves, tongs, utensils, or other approved methods must be used when handling ready-to-eat foods.	

References	
Chapter 246-215 Washington Administrative Code (WAC)	
Chapter 246-217 Washington Administrative Code (WAC)	
Chapter 69.06 Revised Code of Washington (RCW)	
2009 FDA Food Code	
www.foodworkercard.wa.gov (Website for Food Worker Cards)	

Food Safety Training Requirement	
All food workers must have a valid Washington FWC and copies must be available upon request.	
New employees without valid FWCs must be given food safety training before beginning food handling duties. The training must be documented and kept onsite. Food workers must have a FWC within 14 calendar days of hire.	
Initial FWCs are valid for 2 years and renewal cards are valid for 3 years. The FWC must be renewed within 60 days before the card expires.	

Restrictions/Exclusion of Ill Food Workers	
Healthy food workers are important factors in foodborne illness prevention. Food workers must inform the PIC if they have:	
<ul style="list-style-type: none"> • Symptoms including diarrhea, vomiting, or jaundice. • A diagnosed illness from <i>Salmonella</i> Typhi, <i>Shigella</i>, Shiga toxin-producing <i>E. coli</i>, or hepatitis A. • A diagnosed illness from Norovirus or any Salmonella, if serving a highly susceptible population. • Infected, uncovered wounds. • Discharges from the eyes, nose, or mouth (persistent sneezing, coughing, or runny nose). • Sore throat with fever. 	
The PIC must restrict or exclude food workers with these conditions.	

Notification	
The PIC must notify the Regulatory Authority if a food worker has jaundice or a diagnosed illness that can be transmitted through food.	

Potentially Hazardous Foods	
Potentially Hazardous Foods require time and temperature control for safety.	
PHFs include:	
Animal Products	
<ul style="list-style-type: none"> • Meat, fish, poultry, seafood, eggs • Dairy products 	
Cooked Starches	
<ul style="list-style-type: none"> • Cooked rice, beans, pasta, potatoes 	
Fruits and Vegetables	
<ul style="list-style-type: none"> • Cooked vegetables • Tofu • Sprouts (such as alfalfa or bean sprouts) • Cut melons • Cut leafy greens* • Cut tomatoes* 	
*New PHF in 2013	

Imminent Health Hazards	
A food establishment must immediately stop operations and notify the Regulatory Authority if an imminent health hazard may exist due to:	
<ul style="list-style-type: none"> • Foodborne illness outbreak • Fire • Flood • Loss of electricity • Lack of hot water or loss of water service • Sewage backup • Misuse of toxic or poisonous materials • Any circumstance that may endanger public health 	



Skagit County Public Health
 700 South 2nd Street, #301, Mount Vernon, WA 98273
 Phone: (360) 416-1500 e-mail: EH@co.skagit.wa.us
 Obtain Food Worker Cards on-line: www.foodworkercard.wa.gov

EMAIL

NAME OF ESTABLISHMENT: **Tweets** ADDRESS OR LOCATION: **5800 Cains Court** CITY: **Edison**

MEALS SERVED: B L D PURPOSE OF INSPECTION: Routine Preoperational Reinspection
 MEALS OBSERVED: B L D Illness Investigation Temporary Complaint ESTABLISHMENT TYPE: **Small food 3** RISK CATEGORY:

DATE: **02/16/2018** TIME IN: **11:00** ELAPSED TIME: **45** TOTAL POINTS: **110** RED POINTS: **110** REPEAT RED: **25** PHONE:

TEMPERATURE OBSERVATIONS

Food	Location	Temp (°F)	Food	Location	Temp (°F)
Pork Verde	Steam table	95°	Cut tomatoes	Deli top	41°
Frittata	Counter top	110°	Cut tomatoes	2 door unit in back	46°
Torta rustica	Counter top	60°			
Corned beef hash	Steam table	93°			
Pork belly	Steam table	104°			
Milk	Under counter unit	39°			

OBSERVATIONS AND CORRECTIVE ACTIONS

Violations cited in this report must be corrected within the time frames specified.

Violation 16 Proper cooling procedures 25 pts

Observations: Pork verde and Torta Rustica cooled too thick in 2 door unit in back

Correction needed: Cool maximum 2 inch depth OR in a documented procedure 135° to 71° in 2 hours and 71° to 41° in next 4 hours. If no document ion of cooling then destroy Torta Rustica.
 By Date: 2/16/18

Violation 17-10 Proper hot holding temperatures <130 10 pts

Observations: All items in steam table below 130°, see above table.

Correction needed: Hot hold at or above 135°. Reheat all items to 165° or above and hot hold at or above 135°
 By Date: 02/16/18

Violation 19 No room temperature storage, proper use of time as a control 25 pts

Observations: Torta Rustica and Frittata on counter, out of temperature control

Correction needed: Room temperature storage prohibited, staff said they only have it out for 2 1/2 hours and then place it in the cooler for future use. Hot hold at or above 135° or cold hold at or below 41°. If less than 4 hours reheat and hot hold or cool quickly to 41°.
 By Date: 2/16/18

Violation 20 Proper reheating procedures for hot holding 15 pts

Observations: Potentially hazardous foods in warmer were not reheated to 165° prior to going into hot holding

Correction needed: Reheat to 165° or above prior to going placing in hot holding
 By Date: 2/16/18

Violation 26 Compliance with risk control plans, variance, plan of operation, valid permit 10 pts

Observations: Staff not following food code or variance for using time as a control, no time provided for when foods were placed on counter

Correction needed: Follow food code and any variances
 By Date: 2/16/18

Comments

Person In Charge (Signature): _____ Person In Charge (Print Name): **David Blakesley** Date: **02/16/2018**
 Regulatory Authority (Signature): _____ Regulatory Authority (Print Name): **Matt Kaufman** Follow-up Needed? Yes No

Red, High Risk Factors		Pts
1	PIC certified by accredited program, or compliance with Code, or correct answers	5
2	Food Worker Cards current for all food workers; new food workers trained	5
3	Proper ill worker and conditional employee practices; no ill workers present; proper reporting of illness	25
4	Hands washed as required	25
5	Proper barriers used to prevent bare hand contact with ready-to-eat foods	25
6	Adequate handwashing facilities	10
7	Food obtained from approved source	15
8	Water supply, ice from approved source	
9	Proper washing of fruits and vegetables	10
10	Food in good condition, safe and unadulterated; approved additives	10
11	Proper disposition of returned, previously served, unsafe, or contaminated food	10
12	Proper shellstock ID; wild mushroom ID; parasite destruction procedures for fish	5
13	Food contact surfaces and utensils used for raw meat thoroughly cleaned and sanitized; no cross contamination	15
14	Raw meats below or away from ready-to-eat food; species separated	5
15	Proper handling of pooled eggs	5
16	Proper cooling procedures	25
17	Proper hot holding temperatures (5 pts if 130°F to 134°F)	25 (5)
18	Proper cooking time and temperature, proper use of noncontinuous cooking	25
19	No room temperature storage; proper use of time as a control	25
20	Proper reheating procedures for hot holding	15
21	Proper cold holding temperatures (5 pts if 42°F to 45°F)	10 (5)
22	Accurate thermometer provided and used to evaluate temperature of PHF	5
23	Proper Consumer Advisory posted for raw or undercooked foods	5
24	Pasteurized foods used as required; prohibited foods not offered	10
25	Toxic substances properly identified, stored, used	10
26	Compliance with risk control plan, variance, plan of operation; valid permit; approved procedures for noncontinuous cooking	10
27	Variance obtained for specialized processing methods (e.g., ROP)	10

Blue, Low Risk Factors		Pts
28	Food received at proper temperature	5
29	Adequate equipment for temperature control	5
30	Proper thawing methods used	3
31	Food properly labeled and identification	5
32	Insects, rodents, animals not present; entrance controlled	5
33	Potential food contamination prevented during delivery, preparation, storage, display	5
34	Wiping cloths properly used, stored; proper sanitizer	5
35	Employee cleanliness and hygiene	3
36	Proper eating, tasting, drinking, or tobacco use	3
37	In-use utensils properly stored	3
38	Utensils, equipment, linens properly stored, used, handled	3
39	Single-use and single-service articles properly stored, used	3
40	Food and nonfood surfaces properly used and constructed; cleanable	5
41	Warewashing facilities properly installed, maintained, used, test strips available and used	5
42	Food-contact surfaces maintained, cleaned, sanitized	5
43	Nonfood-contact surfaces maintained and clean	3
44	Plumbing properly sized, installed, and maintained; proper backflow devices, indirect drains; no cross-connections	5
45	Sewage, wastewater properly disposed	5
46	Toilet facilities properly constructed, supplied, cleaned	3
47	Garbage, refuse properly disposed; facilities maintained	3
48	Physical facilities properly installed, maintained, cleaned; unnecessary persons excluded from establishment	2
49	Adequate ventilation, lighting; designated areas used	2
50	Posting of permit; mobile establishment name easily visible	2

Abbreviations	
BHC	Bare Hand Contact
FWC	Food Worker Card
PHF	Potentially Hazardous Food
PIC	Person in Charge
ROP	Reduced Oxygen Packaging

References
Chapter 246-215 Washington Administrative Code (WAC)
Chapter 246-217 Washington Administrative Code (WAC)
Chapter 69.06 Revised Code of Washington (RCW)
2009 FDA Food Code
www.foodworkercard.wa.gov (Website for Food Worker Cards)

Food Safety Training Requirement
All food workers must have a valid Washington FWC and copies must be available upon request.
New employees without valid FWCs must be given food safety training before beginning food handling duties. The training must be documented and kept onsite. Food workers must have a FWC within 14 calendar days of hire.
Initial FWCs are valid for 2 years and renewal cards are valid for 3 years. The FWC must be renewed within 60 days before the card expires.

Restrictions/Exclusion of Ill Food Workers
Healthy food workers are important factors in foodborne illness prevention. Food workers must inform the PIC if they have:
<ul style="list-style-type: none"> • Symptoms including diarrhea, vomiting, or jaundice. • A diagnosed illness from <i>Salmonella</i> Typhi, <i>Shigella</i>, Shiga toxin-producing <i>E. coli</i>, or hepatitis A. • A diagnosed illness from Norovirus or any Salmonella, if serving a highly susceptible population. • Infected, uncovered wounds. • Discharges from the eyes, nose, or mouth (persistent sneezing, coughing, or runny nose). • Sore throat with fever.
The PIC must restrict or exclude food workers with these conditions.

Notification
The PIC must notify the Regulatory Authority if a food worker has jaundice or a diagnosed illness that can be transmitted through food.

Handwashing and Preventing Bare Hand Contact
Handwashing must take at least 20 seconds, and include a 10-15 second scrub, a thorough rinse, and a complete drying of the hands.
Bare hand contact with ready-to-eat foods is prohibited. Single-use gloves, tongs, utensils, or other approved methods must be used when handling ready-to-eat foods.

Imminent Health Hazards
A food establishment must immediately stop operations and notify the Regulatory Authority if an imminent health hazard may exist due to:
<ul style="list-style-type: none"> • Foodborne illness outbreak • Fire • Flood • Loss of electricity • Lack of hot water or loss of water service • Sewage backup • Misuse of toxic or poisonous materials • Any circumstance that may endanger public health